INDEX TO VOLUME 57

[NOTE.—In this index the title to principal papers and headings of departments, as *Discussions*, are in italics.]

Abdullaev, K. M., review of book by, 1153
Abraham, E. M., on carbonatization, 1239
Abstracts SEG meeting
Cobalt in pyrrhotite and chalcopyrite of the Elizabeth mine, So. Strafford, Vermont (Stoiber), 1012
The Conway granite of New Hampshire as a low-grade thorium resource (Adams, Richardson, and Rogers), 1009
Correlation of silver content with lead content in veins of the Frisco mine, Chihuahua, Mexico (Koch, Link), 1011
Delineation of phosphorite deposits with gamma-ray logs in Beaufort County, N. C., (Kumrey), 1015
Domed volcanic complexes and mineral deposits, Porcupine-Kirkland lake—Noranda region, Canada (Goodwin), 1009
The effect of chloride on the composition of pegmatite fluids (Anderson and Burnham), 1017
Epithermal bastnaesite and its bearing on the geology of bastnaesite (Perhac and Heinrich), 1014
Evidence for placer origin of Elliot Lake (Blind River) Ontario, uraniferous conglomerates, (Roscoe), 1010
Geochemistry and ore deposits (Joliffe), 1018
Geologic setting and origin of the uranium deposits of the Karnes area, southeast Texas. (Bargle and Weeks), 1010
Manto deposits of fluorspar, Northern Coahuila, Mexico (Temple and Grogan), 1008
Mineralized pipes of the Cuzco-Anta-Urumbamba area, Cuzco, Peru (Gabelman), 1018
Ore transport: Effects of chloride on sphalerite solubility (Barnes, Romberger), 1017
Permeability and lateral circulation in bauxite genesis (Allen), 1014
Proposed reflectivity standards for opaque ore minerals (Jansen), 1011
Recognition of future uranium districts (Gabelman, Adler, and Nininger), 1015
Abstracts SEG meeting—*Continued*
Saturation surfaces—a tool in the interpretation of ore mineral assemblages (Petersen), 1016
Selected studies of base metal dispersion and implication in ore deposit theory (Silverman, Wehrenberg, and Behre), 1013
Solution equilibria in a portion of the system PbS-NaCl-HCl-H_2O at elevated temperatures (Helgeson), 1016
A trace element study of selected sulfide minerals from the eastern United States, (Lenker), 1012
Abyssal sediment transport, 758
Actionolite and tremolite, 1232
Activity gradients and ore deposition, 155
Adams, J. A. S., Richardson, K. A., and Rogers, J. J. W., abstract SEG meeting, 1009
Addie, G., *A simplified stereographic projection solution of the two drillhole problem*, 1122–1126
Adler, H. H., and Gabelman, J. W., with Nininger, R. D., abstracts SEG meeting, 1015
Adsorptives, some oil, chemical, mineralogical, and statistical analyses of (Reeves), 605
Adyalkar, P. G., with Mehta, D., *Tarai and Bhabar zones of India along the Himalayan foothills as potential groundwater reservoirs*, 367–376
Ag_2S solubility, 823
Ahrens, L. H., review of book by, 127
Albitite, 383
Aldrich, D. G., and Buchanan, J. R., on H-saturated clay preparation, 1208
Alexander, G. B., et al., on silica solubility, 868
Alexandrov, E. A., books reviewed by, 1152, 1277
continuing review of Geologiya Rudnykh Mestorozhdenii (Geology of Ore Deposits), 120, 463, 837, 988, 1141, 1151, 1270
Algoman dikes, 1236
Alkaline intermediate rocks, 382
Allanite pegmatites, Red Rock, Nevada compared with Allanite pegmatites in southern Nevada and California (Volborth), 209–216

Allen, E. T., and Lombard, R. H., on sulfide metal equilibrium, 1022
Allen, V. T., abstract SEG meeting, 1014
Alling, H. L., on Clinton oolites, 935
Almazov, A. M., book by, reviewed, 1275
Almond, H., on field chromograph use, 596
Alteration, Cachimayoc breccia pipe, Peru, 916
of carbonatites, 388
contact and xenoliths, in ultrabasics, Ontario, 1231
of H-clay, 1210
hydrothermal, facies and types of (Burnham), 768
late stage, ultrabasics, Ontario, 1229
limestone host rock, 307
Nb and Ta deposits in granites, 390
Nb-Ta pegmatites, 395
silica-silicate rocks, 309
wall rock, energy exchange, 305
wall rock, no effect on deposition, 207
Aluminum, decomposition of clays and the fate of (Coleman), S.E.G. weathering symposium, Part II, 1207
Ames, R. L., discussion by, 1137
Ammonium fixation on silicate surfaces, 1222
polysulfide solution in paper chromatography, 242
Amstutz, G. C., review by, 1150
Anaandalwar, M. A., and Murphy, M. V. N., on Indian stratigraphy, 56
Analyses, gossans, chemical and spectrographic, 188
DTA and x-ray, 189
spectrographic, oil adsorptives, 607, 609, 610
Analysis, chemical, tidal muds, 405
chromatography, paper, 238–248
precipitation, 248–259
Andalusite, 781
Anatase, in manganese nodules, 751
Anderson, G. M., and Burnham, C. W., abstract SEG meeting, 1017
Anderson, G. M., *The solubility of PbS in H_2S-water solutions*, 809–828
Anderson, O. E., Jr., review of book by, 1154
Ankerite and dolomite, Illinois fluorspar district, 504
Anomalous or contaminated leads, 701
Antigorite, 1233
Antimonite, reflection pleochroism, spectral bireflection, 339
Apatite, 540
Chile, 90
Magnetite veins, Singhbhum shear zone, India, 64
Apparatus, cell for heating cooling microscope stage, 1048
hot and cold microscope stage, 1045, 1047
Archaean-proterozoic boundaries, economic aspects of, 458
Arizona, Bagdad, as non-persistent in depth, 294
Argillic Facies of hydrothermal alteration, 771
Arnold, R. G., *Equilibrium relations between pyrrhotite and pyrite from 325° C to 743° C*, 72–90
Coleman, R. G., and Frykland, V. C., *Temperature of crystallization of pyrrhotite and sphalerite from the Highland-Surprise mine, Coeur d'Alene district, Idaho*, 1163–1174
Arrhenius, G., on reworked abyssal sediments, 759
Arsenopyrite, 542
Chile, 102
spectral profile, 339
Atacamite, 111
Atkinson, D. J., on Angolan rivers, 1031
Austin, C. F., with Slawson, W. F., *A lead isotope study defines a geological structure*, 21
Australia, Mount Isa, 265
Sulfur isotope distribution in sulfides and sulfates from Broken Hill South, New South Wales (Lawrence and Rafter), 217–225

Bacterial activity and the precipitation of sulphides, 40
Bailey, S. W., and Cameron, E. N., on depth of mineralization, 17
on fluid inclusions, 2, 6, 16
Banded ore, Illinois fluorspar district, 515
Banerji, A. K., *Cross folding, migmatization and ore localization along part of the Singhbhum shear zone, south of Tatanager, Bihar, India*, 50–71
Barabanov, V. F., review of book by, 469
Barite, in manganese nodules, 751
Barium in alteration zones, 793
Barnes, H. L., on hydrothermal transport, 811
Mechanisms of mineral zoning, 30
and Romberger, S. B., abstract SEG meeting, 1017
on ZnS solubility, 820
Barnett, P. R., Conklin, N. M., with Coats, R. R., *Distribution of beryllium in unaltered silicic volcanic rocks of the western conterminous United States*, 963–968
Barred basins, 362
Barrer, R. M., diffusion formulae, 796
Barshad, I., on alteration of H-clay, 1208
Barton, P. B., Jr., on carnotite solubility, 150
Barton, P. B., on hydro thermal transport, 811
on rauvite, 155
and Kellerud, G., on sphalerite geothermometer, 89
Basic peralkaline rocks, 381

Basta, E. Z., on magnetite oxidation, 260
Bateman, A. M., on contact metasomatism, 948
Bauxite genesis in Jamaica (communications), 829
Behre, Chas. H., Jr., discussion by, 115
and Garrels, R. M., on origin of ore deposits, 882
with Wehrenberg, J. P., and Silverman, A., abstract SEG meeting, 1013
Bennett, W. A. G., *Mineralogy and geochemistry of the Read magnetite deposit, southwestern Stevens County, Washington*, 941–949
Beryl, 1100
and columbite, geochemical prospecting for (communication), 616
Beryllium, distribution of, in unaltered silicic volcanic rocks of the western conterminous United States (Coats, Barnett, and Conklin), 963
-fluorine association, 966
Betts, R. H., and Leigh, R. M., on uranium in phosphates, 1083
Bhattacharji, S., on flowage folds, 62
Bichan, W. J., *Host rocks for copper ore*, 1262–1267
Bilibin, Y. A., review of book by, 986
Biogenic primary sulfide of the Permian Kupferschiefer and Marl Slate (Love), 350
sulfides, comments on (discussion), 624
Birch, F., and Clark, H., on thermal conduction in rocks, 313
Birchenall, C. E., on pyrrhotite, lamellar phase, 86
Bishopp, D. W., discussion by, 458
on manganese deposits, 191
Bismuthinite, 540
Bitumen, Illinois fluorspar district, 508
Bixbyite, 198–207
Black shales, geochemistry of, India (communication), 614
Blanchard, R., on gossans, 184
Bleached, red beds, 231
Bloom, H., *Field methods for the determination of nickel using dimethylglyoxime*, 595–604
Bobrievic, M. N., et al., review of book by, 1151
Bolivia, a contribution to the geology of the Caracoles tin and tungsten mines (Stoll), 536
Bonnet, J. A., on dissolution of rock silica, 1187
Bornite at atmospheric temperature and pressure, formation of (Cuthbert), 38
-chalcopyrite deposits, 101
Boron in alteration zones, 793
Bosschart, R. A., on pyrite thermoelectricity, 579
Botanical prospecting, lichens used (communication), 107
Boudinage in massive sulfide, 1119
Boutwell, J. M., on geological consultants, 669
on jasperoid, 876
Bowen, N. L., and Tuttle, F., on antigorite, 1243
on pyroxenite dikes, 1239
Bowen, O. E., Jr., review of book edited by, 1154
Bowie, S. H. U., discussion by, 983
Boydell, H. C., on silica in solution, 871, 882, 884
Boyle, R. W., discussion of article by, 1137
Bramlette, M. N., on deep sea currents, 758
and Bradley, W. G., on reworked abyssal sediments, 759
Brasilian shield, 980
Braunite, 198–207
Brazil, geology of the Serra Do Navio manganese district, (Nagell), 481
Breccia pipe, the Cachimayoc, Cuzco Department, Peru (Gabelman, Jordán O., and Goyburu de la Cuba), 904
formation, mechanism, 913
Illinois fluorspar district, 531
Breger, I. A., and Chandler, J. C., on ore deposition temperature, 138
Brecke, E. A., *Oregenesis of the Cave-In-Rock fluorspar district, Hardin County, Illinois*, 499–535
Breshenkov, B. K., on jarosite, 179
Brewster, D., on fluid inclusions, 1047
Broughton, W. A., on magnetite deposit, 941
Brown, H., et al., on radioactive elements in granites, 736
Brown, J. S., *Ore leads and isotopes*, 673–720
Bryner, Leonid, discussion by, 115
Buffered immersion leaching tests, 1189
Bugge, C., on sulfide palingenisis, 895
Bullwinkel, E. P., on uranium solubility, 143
Burnham, C. W., *Facies and types of hydrothermal alteration*, 768–784
with Anderson, G. M., abstract SEG meeting, 1017
Buser, W., and Grütter, on manganese nodule mineralogy, 751
Busorite, 382
Butler, R. D., and Singewald, Q. D., on jasperoid, 879

C^{13} in precambrian slates, Sudbury, 576
Cachimayoc breccia pipe, Cuzco Department, Peru (Gabelman, Jordán, O., and Goyburu de la Culia), 904
Calcite, 15
Calcitization, Cachimayoc breccia pipe, Peru, 916

California, allanite pegmatites, Red Rock, Nevada compared with allanite pegmatites in southern Nevada and (Volborth), 209–216
Callaghan, E., on the searchlight district, 1064
Cameron, E. N., review of book by, 284
et al., on fluid inclusions, 1047
Jahns, R. H., McNair, A. H., and Page, L. R., on Ta in Black Hills pegmatites, 392
Canada, Alberta, petrology of upper cretaceous oolitic iron-rich rocks from (Mellon), 921
Blind River, thorium and uranium variations in the ores (Robertson), 1175
Kirkland Lake, as persistent in depth, 294
New Brunswick, origin of Nigadoo and No. 6 deposits, 834
Northern Ontario, serpentinization and chrysotile formation in the Matheson ultrabasic belt (Grubb), 1228
the origin of the gold-quartz deposits, yellowknife, N.W.T., discussion of (Ames), 1137
Porcupine, as persistent in depth, 294
Sudbury district, sulfur isotope abundances in rocks and their geological significance (Thode, Dunford and Shima), 565
Cannon, R. S., on lead isotopes, 678
Carbonate, 1232
Carbonates in oolitic iron formation, 931
replaced by jasperoid, 884
Carbonatite alteration, 388
complexes, types of, 384
genesis, 387
metallogenesis, 388
mineralization, 355
Carbonatites, 1133
columbium, and tantalum in, 379ff
internal structure Nb bearing, 382
related to diamond pipes, 379
Carl, J. D., *An investigation of minor element content of potash feldspar from pegmatites, Haystack Range, Wyoming*, 1095–1115
Carr, R. M., and Fyfe, W. S., on silica solubility, 872
Carroll, D., and Starkey, H. C., on rock leaching, 1187
Carsten-Foslie ore deposit classification, 901
Carstens, C. W., classification of ore deposits, 901
Carter, G. F., and Sokoloff, V. P., on laterites, 1200
Cassiterite, 540
Cate, R. B., Jr., on tropical podzols, 1200
Cathcart, J. B., on uranium in phosphates, 1081
Cation exchange, silicate surfaces, 1221
Cave-in-Rock district, Illinois, 2
CENTO, review of book edited by, 470
Chadwick, R. A., on Miami-Picher district, 5
on pegmatite emplacement, 1104
Chalcedony, 865, 931
Chalcopyrite, 540, 971
-actinolite-magnetite deposits, Chile, 99
-garnet deposits, Chile, 100
-pyrite deposits, Chile, 101
-pyrrhotite deposits, Chile, 101
-specularite deposits, Chile, 101
-tourmaline deposits, Chile, 100
Chalcosite, Chile, 102
Chamosite, 933
Chemical analysis, sepiolite, 1088
composition of ludwigite, 951
manganese nodules, 763
oolitic ironstone, 932
mineralogical and statistical analyses of some oil adsorptives (Reeves), 605
weathering with emphasis on laterization, S.E.G. symposium, in three pages, 1185, 1207, 1219
Cheney, E. S., discussion of article by, 1134
and Jensen, M. L., discussion by, 624
Cherskii, N. V., review of book by, 987
Chert, 862
Childs, O. E., on geologists job terminations, 661
Chile, Braden, as non-persistent, 297
central part described, 1032
Chanarcillo silver mining district, regional geology of and adjacent areas (Segerstrom), 1247
S. A., metallogenetic provinces of (Ruiz, and Ericksen), 91–106
seasonal variations in copper content in some Andean streams of central (de Grys), 1031
Chlorite, 540, 776, 1232
Chlorites in soil, 1215
Chromatographic profiles, 245
Chromatography, ion exchange, 249
liquid-liquid, 249
liquid-solid, 249
paper, the identification of metal, ions in ore minerals by. Part I, Opaque ore minerals (Ritchie), 238–248
precipitation, accuracy and sensitivity, 255
precipitation, in geochemical prospecting, the use of; mineral identification with disposable agar gel columns, (Spain, Ludeman, and Snelgrove), 248–258
Chromite deposits of the Guleman district, Turkey, metallogeny of (Helke), 954
Chromium in alteration zones, 792
Chrysotile formation and serpentinization in the Matheson ultrabasic belt, northern Ontario (Grubb), 1228
veins, 1237

Church, A. H., on silica in solution, 882
Clark, L. A., on arsenopyrite-pyrite, pyrrhotite equilibrium, 1173
Clarke, F. W., on silica in hot springs, 865, 870
Clarke, R. H., and Fyfe, W. S., on ultrabasic magma, 1239
Classification of columbium and tantalum deposits, 378
and genesis, ore deposits, Chile, 104
non-genetic, copper deposits, 450
of ore deposits, Carstens-Foslie, 901
Stanton's, applied to Norwegian sulfides, 898
Clastic matrix, oolitic iron formation, 929
Clay minerals, Illinois fluorspar district, 508
Clays, decomposition of, and the fate of aluminum (Coleman), S.E.G. weathering symposium, Part II, 1207
Coal, Ecuador, 802
Coats, R. R., Barnett, P. R., and Conklin, N. M., *Distribution of beryllium in unaltered silicic volcanic rocks of the western conterminous United States*, 963–968
Cobalt deposits, Chile, 102
in alteration zones, 793
Cobaltite, Chile, 102
Coffinite and vanadium silicates, formation of, 158
Colby, B. R., on chemistry Wind River, Wyo., 1031
Coleman, N. T., on acid mineral soils, 1207
Decomposition of clay, and the fate of aluminum, S.E.G. weathering symposium. Part II, 1207–1218
and Harward, M. E., on electrodialyzed clay, 1208
Coleman, R. G., on ore mineral formation temperatures, 138
and Fryklund, V. C., with Arnold, R. G., *Temperature of crystallization of pyrrhotite and sphalerite from the Highland-Surprise mine, Coeur d'Alene district, Idaho*, 1163–1175
Collapse features, Illinois fluorspar district, 531
Colorado, Cripple Creek, as non-persistent in depth, 294
geology Copper King mine, nickel deposit, 600
Jamestown, as non-persistent near energy source, 295
Leadville, as non-persistent, 296
plateau, origin of uranium ore, 152
Colorimetric tests, interference of Co and Cu on Ni, 597
Columbite and beryl, geochemical prospecting for (communication), 616
-tantalite, 381
deposits, 1133
Columbium (niobium) and of tantalum, economic geology of (DeKun), 377
and tantalum deposits, classification of, 378
distribution, 400
and tantalum reserves, 401
Communications—
Bauxite genesis in Jamaica, some chemical aspects of (Waterman), 829–30
Bolivian tin mineralization and orogenic evolution (Ljunggren), 978
Exploration, the lichen—a possible plant medium for mineral (LeRoy and Koksoy), 107–111
Geochemical prospecting for beryl and columbite (Heinrich), 616
Geochemistry of the siliceous black shales at Nagarjuna Sagar Damsite, India (Murty, et al.), 614
Lichen—a possible plant medium for mineral exploration (LeRoy and Koksoy), 107–111
Notes on a non-genetic classification of copper deposits (Gilmour), 450
An occurrence of violarte and millerite in calcite veins, Benton County, Arkansas (Sterling, Stone, and Renfroe), 453
Some aspects of the genesis of platinum deposits (Stumpfl), 619
Stability relations and paragenesis of copper oxides and chlorides at the Algomah mine, Ontonagon County, Michigan (Williams), 111–113
Wall rock composition as a guide to pegmatite mineralization (Hornung), 1127
Composition, Nb-Ta pegmatites, 392
Comstock, C. B., on millerite in Arkansas, 454
Concentration of manganese nodule, on the ocean floor, 753
Conklin, N. M., Barnett, P. R., with Coats, R. R., *Distribution of beryllium in unaltered silicic volcanic rocks of the western conterminous United States*, 963–968
Contact metamorphic rocks, Chañarcillo silver district, Chile, 1253
-metasomatic deposits, Chile, 104
Contribution, A, to the geology of the Caracoles tin and tungsten mines, Bolivia (Stoll), 536
Cook, D. R., review of book by, 125
Copper content in some Andean streams of central Chile, seasonal variations in (deGrys), 1031
deposit, non-genetic classification, 450
the Ore knob massive sulfide, North Carolina: an example of recrystallized ore (Kinkel), 1116
deposits, Chile, 99
ore, host rocks for (Bichan), 1262

Copper—Continued
Ecuador, 804
in alteration zones, 793
native, 111
sulfide veins, Singhbhum shear zone, India, 65
Correlation between the uranium content of marine phosphates and other rock constituents (Habashi), 1081
Correns, C. W., on calcite solubility, 886
on rock leaching and solubility, 1187, 1195
on silica solubility, 868, 873
Cox, G. H., et al., on jasperoid, 876
Craig, L. C., on Cretaceous stratigraphy, 158
Crane, G. W., on limonite, 171
Creasey, S. C., on hydrothermal alteration facies, 770
Cripple Creek, non-persistent, 296
Criteria, syngenetic origin Rhodesian copperbelt, 723
Cross folding, migmatization and ore localization along part of the Singhbhum shear zone, south of Tatanagar, Bihar, India (Banerji), 50–71
Croxford, H. J. W., et al., on carbon in lead-zinc ore, 460
Cryptomelane, 198–207
ore, Brazil, 487
Crystallization temperature of pyrrhotite and sphalerite from the Highland-Surprise mine, Coeur d'Alene district, Idaho (Arnold, Coleman, and Fryklund), 1163
Cuba, the gossans of Minas Carlota (Hill), 168–194
Cuban limonites (discussion), 982
Cullis, C. G., and Edge, A. B., on exhalative pyrite deposits, 1078
Cuprite, 111
Cuthbert, M. E., *Formation of bornite at atmospheric temperature and pressure*, 38–41
Czamanske, G. K., on solubility of sulfides, 300
discussion by, 1268
on sphalerite solubility, 17

Davidson, C. F., books reviewed by, 1275–1277
discussion by, 265, 457, 1134
discussion of article by, 460, 624
on Kupfershiefer ore, 365
reviews by, 277, 278, 279, 468, 638, 986
Davidson, C. P., and Atkins, D., on uranium in phosphates, 1081
Davis, K. A., on carbonatites, 387
Davy, Sir H., on fluid inclusions, 1047
Deans, T., on Kupferschiefer, 361
on pyrite spheres, 352
Decalcification, Illinois fluorspar district, 525
Decomposition of clays and the fate of aluminum (Coleman), S.E.G. weathering symposium, Part II, 1207
Decrepitation method, 2
Deep sea sediments disturbed by animals, 759
deGrys, A., *Seasonal variations in copper content in some Andean streams of central Chile*, 1031–1044
Deicha, G., on fluid inclusions, 1047
DeKun, N., discussion of article by, 1133
The economic geology of columbium (niobium) and of tantalum, 377–404
Deltombe, E., de Zouboc, N., and Pourbaix, M., on ion activity calculations, 139
Dennen, W. H., with James, A. H., *Trace ferrides in the magnetite ores of the Mount Hope mine and the New Jersey Highlands*, 439–449
Deposition in a vein, by pressure drop, 589
Desulfovibrio desulfuricans, 352
deWijker Slooth, P., on chromite, 955
Dew point method in metal sulfide equilibrium experiments, 1021
Diagenetic sulfide, 265
Diagnostika mineralov rossypei (the recognition of placer minerals) (Lozhkin), Davidson, 988
Diagram(s), ACF, propylitic sub-zone, 772
Ag content of solutions, 824
A-H, argillic facies, 774
AKF, montmorillonite kaolinite subzones, 773
AKF(H) phyllic facies, 779
anomalous leads corrected, 706, 712
Be content, percentage frequencies, 965
block, uranium deposits, Utah, 229, 230
calibration, freezing stage, 1058
columnar, mineral and trace element composition, Searchlight, Nevada, 1067
stratigraphic Renison Bell, Tasmania, 584
textural elements, iron oolite, Alberta, 925
composition UO_2-H_2-O_2 system, 140
concentration effect on surface cation exchange, 1222
cooling (or heating) stage for a microscope, 1049
diffusion calculations, 795
Eh-pH, construction of, 162
equilibrium, Eh-pH, U-O_2-H_2O system, 141
Eh-pH, U-O_2-H_2O-CO_2 system, 144, 145, 146, 147, 148
U-V-K-O_2-H_2O-CO_2 system, 153
V-O_2H_2O, 149
FeS-FeS_2, 1171
FeS-S system, 73
U-V-K-O_2-H_2O-CO_2 system, 156
ZnS-FeS, 1173
folding, Singhbhum shear zone, India, 56

Diagram(s)—*Continued*
histogram, pyrrhotite crystallization temperatures, 1172
infrared absorption, sepiolite, 1092
isometric, vein fluid flow, 588
lichen cross section (communication), 109
metal sulfide reactions, data, 1023, 1025, 1027
equipment, 1023
microreflectometer, 43
minor elements, altered zone, Hanaoka mine, 787
distribution, Kamikita mine, Japan, 790, 792
variation, Hanawa mine, Japan, 789
nickel in soil over deposit, 601
ore lead evolution of, 697, 698, 699, 700
paragenesis, Chilean ore deposits, 97
Pbs solubility apparatus, 813
phase diagram H_2O-CO_2, 592
pressure H_2O-temperature, alteration mineral assemblages, 780
rate, clay mineral hydrogen-aluminum exchange, 1209
ratios, thorium-uranium Elliot Lake, Ontario, 1180
rosette, veins, Caracoles, Bolivia, 543
scattergram, relation Be and F in volcanics, 967
seasonal variations, Cu and Zn, Chilean rivers, 1036, 1037
selectivity curves, mica surfaces, 1225, 1226
silica and $CaCO_3$ solubility against temperature, 881
silica solubility against pH, 869
pH and temperature, 870
size distribution, oolite, Alberta, 936
sketch of contamination sites in magnetite, 737
of fluid inclusions, 9, 10, 12–14
Ore knob structures, 1118
pegmatite shapes, 1098
sepiolite hand specimens, 1087
soil mineral decomposition and recomposition paths, 1214, 1216
solubility, dissolved silica, 1190
iron hydroxides, aluminum hydroxide and silica, 1196
silica against temperature and pressure, 590
stability, Cu oxides and chlorides, 112
structural features, Singhbhum shear zone, 57
triangular, ultrabasic compositions, 1241
uranium vs. other constituents in some natural phosphates, 1083
variation, stream size to metal content, Chili, 1042
x-ray, authigenic chlorite in oolitic iron formation, 930
Diapirs of serpentine, chromite bearing, 959
Dickson, F. W., Shields, L. D., and Kennedy, G. C., *A method for the determination of equilibrium sulfur pressures of metal sulfide reactions*, 1021–1030
Diffusion, actual related to theoretical, 794
features in uranium deposits, 235
Diffusion features of U-V deposits in Montezuma Canyon, Utah (Huff and Lesure), 226–236
formulae, 796
kinetic factors controlling heavy metal, 797
uranium deposits, 232
Dimethylglyoxime, field methods for the determination of nickel using (Bloom), 595
Discussions—
Biogenic sulfides, further remarks on (Love, Cheney, Jensen), 1134
Breccia and pebble columns associated with epigenetic ore deposits (Bryner), 114
Comments on biogenic sulfides (Davidson), Cheney and Jensen, 624
Critical remarks on the genesis of ore as applied to future mineral exploration (Sales), Worthington, 629
Dissociation constants of H_2S (Parker), Czamanske, 1268
Economic aspects of Archaean-Proterozoic boundaries (Osborne), Bishopp, 458
Economic geology of columbium (niobium) and of tantalum (DeKun), von Eckermann, 1133
Epigenetic vs. syngenetic origin for certain copper deposits (White and Wright), Ohle, 831
Geochemical prospecting for nickel in the Blue Mountain Area, Jamaica, W.I. (Hill), Worthington, 637
Kolar Gold field, India (Narayanaswami, et al.) Naha and Mookherjee, 262
Magnetite, studies on the oxidation of (Gokhale), Lepp, 260
Mineralization in mobile belts (Gilmour), McCartney, 1131
Origin of the gold-quartz deposits, Yellowknife, N.W.T. (Boyle), Ames, 1137
On the origin of some strata-bound sulfide ore deposits (Davidson), Love, 460
The origin of some strata-bound sulfide ore deposits (Love and Zimmerman), Davidson, 265
Prospecting for ore deposits by panning heavy minerals from river sands (Zeschke), Mackay, 459
Pyrite spheres in sediments (Greensmith), 118
Pyrite spheres in sediments (Greensmith), Zimmerman, 459

Discussions—Continued
Reflection characteristics of ore minerals (Gray and Millman), Bowie, 983
Remanent magnetism (Gross and Strangway), Percival, 835
Studies on the oxidation of magnetite (Gokhale), Lepp, 260
Studies on the oxidation of magnetite. Studies on the oxidation of goethite (Gokhale), Gruner, 628
Temperatures of formation and origin of the Nigadoo and Brunswick mining and smelting No. 6 deposits, New Brunswick, Canada (Kalliokoski), Hutchinson, 834
Types of evidence for genesis of ore deposits in the East Tennessee and other lead zinc deposits (Behre), 115
Uraninite-scheelite placers of the River Indus (Zeschke), Davidson, 456
Use of the term gossan (Hill) Kesler, 982
Disseminated sulfide spheres, 350
Distribution of beryllium in unaltered silicic volcanic rocks of the western conterminous United States (Coats, Barnett, and Conklin), 963
Distribution of manganese nodules on the ocean floor, 753
Distribution of metals in a modern marine environment (White and Northcote), 405
Dolomite, 154
and ankerite, Illinois fluorspar district, 504
Dolomites of upper Arbuckle age, west central Kansas, sphalerite mineralization in deep lying (Evans), 548
Dolomitization, 308
Ilinois fluorspar district, 530
Dolomitized limestone, 771
Doloresite, 152
Donoso, W., on chemical composition of a Chilean river, 1031
on Chilean river water, 1039
Dorsey, N. E., on ice nucleation, 1052
Drever, H. I., Johnston, R., and Thomas, C. M., on ultrabasic contact effects, 1239
Dubey, U. S., and Holmes, A., on helium age determinations, 735
Duke, D. A., on jasperoid, 878
Dunford, H. B., Shima, M., with Thode, H. G., *Sulfur isotope abundances in rocks of the Sudbury district and their geological significance*, 565–578
Dunham, K. C., on jasperoid, 879
on Kupfershiefer ore origin, 364
Dunites, 1235
Dunn, J. A. and Dey, A. K., on Indian stratigraphy, 56
on the Singhbhum shear zone, 52
Dunn, J. A., on apatite-magnetite veins, 64, 65
on copper sulfide veins, 66
on ore differentiation from granite magma, 53
on origin of ore by migmatization, 70
Dygenetic origin, pyrite spheres, 361

Eargle, D. H., and Weeks, A. D., abstract SEG meeting, 1010
Economic geology of columbium (niobium) and of tantalum (DeKun), 377
Economic geology today and tomorrow (Shenon), 659
Ecuador, notes on the mineral resources of (Stoll), 799
Edwards, A. E., on Broken Hill, 218
and Baker, G., on limonite, 182
Effects of environment on ore deposition (Parker), 293
Ehlmann, A. J., Sand, L. B., and Regis, A. J., *Occurrences of sepiolite in Utah and Nevada*, 1085–1094
Eh-pH diagrams, construction of, 162
level and the precipitation of sulphides, 40
Electron diffraction patterns, bornite and chalcocite, 40
Eliseev, N. A., et al., review of book by, 277
Ellis, A. J., and Fyfe, W. S., on silica crystallizing from solution, 867, 868, 874
Elmer, T. H., and Nordberg, M. E., on silica solubility, 870
Emmons, S. F., on silica solubility, 865, 873
et al., on jasperoid, 878
Emmons, W. H., on zoning, 30
Employment, difficulty of securing, by geologists, 659
Energy exchanges in ore deposition, 298
losses by pressure reductions, 318
transfer by thermal conduction, 312
England, Cornwall, as zoned, 294, 296
Marl slate, pyrite spheres, 354
Enrichment, fluorite ore, Illinois, 524
Environment of Newfoundland copper deposits, 1262
effects of on ore deposition (Parker), 293
of ore deposition, 155
Epidote, 771
Epigenetic origin pyrrhotite ore shoots in Norway, 897
Equilibrium relations between pyrrhotite and pyrite from 325° C to 743° C (Arnold), 72–90
Equilibrium sulfur pressures of metal sulfide reactions, a method for the determination of (Dickson, Shields, and Kennedy), 1021
Equipment, metal sulfide equilibrium reactions, 1022

Ericksen, George E., with Ruiz, Carlos F., *Metallogenetic provinces of Chile, S. A.*, 91–106
Euxenite, 381
Euxinic environments, 265
Evans, D. L., *Sphalerite mineralization in deep lying dolomites of upper Arbuckle age, west central Kansas*, 548–565
Evernden, J., on age of Bolivian granites, 978
Exhalative origin of Spanish pyrite, 1078
Experimental zoning data, 36
Exploration for columbium and tantalum, 402
  using lichens (communication), 110
Exsolution experiments on pyrrhotite, 79

Facies and types of hydrothermal alteration (Burnham), 768
Fanale, F. P., and Kulp, J. L., *The helium method and the age of the Cornwall, Pennsylvania magnetite ore*, 735–746
Feldspar in oolitic iron formation, 928
  surfaces as electrolytes, 1223
    as exchangers, 1221
    reactivity, 1223
Feldspars and micas, reactions of, with aqueous solutions (Marshall), S.E.G. symposium on weathering, Part III, 1219
Fergusonite, 381
Fermor, L. L., on origin of copper veins, 66
Ferrides in magnetite, N. J., 439
  trace, in wall rocks, 440
Ferruginous cement, oolitic iron formation, 930
Fertilizer, Ecuador, 807
Field methods for determination of nickel using dimethylglyoxime (Bloom), 595
First melting temperature, fluid inclusions, 1054
Fischer, M., and Hiller, J. E., on pyrite thermoelectricity, 579
Fleischer, M., review of book by, 986
Fluid inclusions, freezing and metastability, 1052
  freezing stage, calibration, precision and accuracy, 1057
  freezing temperature, 1055
  I: Low temperature application of a dual purpose freezing and heating stage, studies of (Roedder), 1045
  Temperatures of mineral formation in the Miami-Picher district as indicated by liquid inclusions (Schmidt), 1
Fluorite, 2
  Illinois fluorite district, 503
Fluorspar, Cave-In-Rock district, genesis of the ore, Hardin County, Illinois (Brecke), 499
Folding, Kolar gold field, 263
Formation of bornite at atmospheric temperature and pressure (Cuthbert), 38
Foslie, S., classification of ore deposits, 901
  on Norwegian sulphide ores, 895
Foster, M. D., on vanadium bearing clays, 160
Fourmarier, P., on Spanish pyrite, 1072
Framboidal texture, 353
Francis, W., book by, reviewed, 1277
Freas, D. H., on fluid inclusions, 2
Freeman, P., on plagioclase, 1231
Frondel, C., on rauvite, 155
Freezing temperature, fluid inclusions, 1055
Fryklund, V. C., and Coleman, R. G., with Arnold, R. G., *Temperature of crystallization of pyrrhotite and sphalerite from the Highland-Surprise mine, Coeur d'Alene district, Idaho*, 1163–1175
Future possibilities Newfoundland copper, 1266

Gabbro, 1233
Gabelman, J. W., Adler, H. H., and Nininger, R. D., abstracts SEG meeting, 1015
Gabelman, J. W., abstract SEG meeting, 1018
  and Jordáno, V., on Peruvian geology, 906
    and Goyburu de la Cuba, E., "The Cachimayoc breccia pipe, Cuzco Department, Peru," 904–920
Galena, Broken Hill, 218
  dating and ore genesis, 716
  supergene, 218
Gallium, in alteration zone, 793
Garlick, W. G., on Copperbelt origin, 268
  discussion by, 629
  on Nkana origin, 731
  on Rhodesian paragenesis, 626
Garnet, 1100
Garrels, R. M., on formation of bornite, 38
  on ion activity calculations, 139
  on ore chloride complexes, 32
  on rutherfordine-schoepite transition, 143
  and Dreyer, R. M., on equilibrium constants, 303
  with Hostetler, P. B., *Transportation and precipitation of uranium and vanadium at low temperatures with special reference to sandstone type uranium deposits*, 137–167
  Larsen, E. S., 3rd, Pommer, A. M., and Coleman, R. G., on vanadium transport, 159
Gas phase, deposition by, 299
Gavelin, S., on origin of ore by migmatization, 69
Geijer, P., on formation of hydrothermal minerals, 947

Genesis and classification ore deposits, Chile, 104
Japanese pyrrhotite, 974
manganese ores, Bahrweli, India, 205–208
of the metamorphic manganese ores of Bharweli min-area, Madhya Pradesh, India (Roy), 195–208
of the ore, Cave-In-Rock fluorspar district, Hardin County, Illinois (Brecke), 499
Nb and Ta deposits in granites, 389
Nb-Ta pegmatites, 394
of ore, critical remarks on (Discussion), 629
of platinum deposits, 619
uranium deposits, by diffusion, 234
Genetic considerations of magnetite and pyrrhotite in pyritic deposits, Yanahara district, southwestern Japan (Tsusue), 969
Geochemical prospecting for "Kuroko" deposits 794
lichens used (communication), 107
the use of precipitation chromatography in; mineral identification with disposable agar gel columns (Spain, Ludeman, and Snelgrove), 248–258
sampling and analyses tidal muds, 405
Geochemistry, and mineralogy, at the Read magnetite deposit, southwestern Stevens county, Washington (Bennett), 941
minor elements, "Kuroko" deposits, 791
Geochronology thermal, 593
Geography and history Guleman chromite, Turkey, 956
Geokhimiya redkikh elementov v granitoidakh (geochemistry of rare elements in granitoids) (Tauson), Davidson, 988
Geologic controls, manganese ore, Brazil, 494
history, Chañarcillo silver district, Chile, 1257
Geological employment situation, 659
Geologists, oversupply of, 662
Geologiya SSSR (Geology of the USSR) (Kuznetzov), Davidson, 278
Geology, Alberta, Peace River area, 922
Cachimayoc area, Peru, 908
of the Caracoles tin and tungsten mines, Bolivia, a contribution to (Stoll), 536
central Chile, 1034
Cuzco-Anta area, Peru, 906
general, magnetite deposits, N. J., 439
Guleman, chromite district, Turkey, 956
Highland Surprise mine, Idaho, 1165
of the host rocks, Chilean ore deposits, 96
manganese deposits, Bharweli, India, 196
Matheson ultrabasic belt, Ontario, 1229
Miami-Picher district, 3
Geology—*Continued*
of Norwegian sulphides, 894
regional, Caracoles tin area, Bolivia, 538
Spanish massive pyrite deposits, 1072
of the Serra Do Navio manganese district, Brazil (Nagell), 481
Geophysical data, sphalerite deep lying, western Kansas, 562
Geothermometer, pyrrhotite, 1170
sphalerite, 1173
ZnS-FeS, 891
Geothermometry, depth corrections, 17
pyrrhotite solvus, 86
Temperatures of mineral formation in the Miami-Picher district as indicated by liquid inclusions (Schmidt), 1
Germann, F. E. E., and Germann, R. P., on solubilities, 821
Germany, Kupferschiefer, 350, 353
origin of ore, 361 ff
Gheith, M. A., on magnetite oxidation, 260
Gilluly, J., on jasperoid, 878
on metasomatic iron deposits, 948
Gilmour, P., communication by, 450
discussion of article by, 1131
Gjelsuik, T., on Norwegian sphalerite, 893
Goethite, in manganese nodules, 751
oxidation of (Discussion), 628
Gokhale, K. V. G. K., discussion about, 260
discussion of article by, 628
Gold deposits, Chile, 102
in Ecuador, 803
-pyrite deposits, Chile, 101
-specularite deposits, 101
-tourmaline deposits, Chile, 100
Goldberg, E. D., on manganese nodules, 753
Goldich, S. S., and Bergquist, H. R., on Haitian bauxite, 830
Goldschmidt, V. M., on free alumina in arctic soils, 1200
Gonditic, manganese ore, 488
Goodwin, A. M., abstract SEG meeting, 1009
on exhalative sulfide ores, 1078
Gossan, ages, 177
Gossans, banded, 177
chemical and spectrographic analyses, 188
depth of oxidation, 173
distribution of hematite, 177
D.T.A. and x-ray analyses, 189
economics, 178
estimation of sulfide volume, 187
exotic,
boxworks, 179
breccia, 178
cinder, 181
drip, 179
formation, 176
hypothetical, 190
of Minas Carlota, Cuba (Hill), 168–194
indigenous, 173
porosity, 181

Gossans—*Continued*
-sulfide interface, 173
surface characteristics reflect structure, 173
Goyburu de la Cuba, E., Jordáno, V., with Gabelman, J. W., *The Cachimayoc breccia pipe, Cuzco Department, Peru*, 904–920
Graf, D. L., and Kerr, P. E., on lead as an index to ore, 794
Graham, R. P. D., on serpentinization, 1242
Granite, anatectic, Bolivia, 979
metasomatic, Bolivia, 979
soda, 54
Granites, columbium and tantalum deposits in, 389
Granitic rocks, central Amapa, Brazil, 486
Granzon, Brazil, 489
Graph(s), arsenopyrite, spectral profile, 339
chemical variations, magnetite vein and wall rock, 443
employment of geologists by type of employer, 661
geology students by years, 664
compared to population, 662
gossan, iron vs. sulfur, 187
porosity and density, 187
gossans, analyses, Fe vs. P, 188
S vs. P, 188
DTA curves, 190
granzon composition, 489
hardness vs. reflectivity, 347
heat loss in veins, 313
of reaction of quartz near a vein, 310
of solution of quartz, 307, 310
helium content against alpha activity, 743
hiring of geologists against degrees granted, 660
histograms, size analysis oil adsorptives, 608
isogyre separation against angle of rotation, 341
internal energy change with depth, 320
changes, along P-T curves, 319
lead isotope, analytic precision, 23
New Mexico, 24
microhardness vs. reflectivity, 344, 345
microcline compositions, 1110, 1111
oil adsorptive abilities, various materials, 608
adsorptives, heavy minerals, 611
pressure-temperature curve for water, 319
pyrrhotite *d* spacing, 75
reflection pleochroism and spectral bireflection, antimonite, and niccolite, 339
reflectance as a function of wavelength, 46
resistivity related to EMF in pyrite, 583
rotation against, bireflection, 341
Rr against white light reflectivity, 340
Graph(s)—*Continued*
solubility of PbS, 817, 818, 819, 822
spectral dispersion, opaque minerals, 328
spectral sensitivity, eye and photocell, 328
sulfur isotopes, Sudbury vicinity, 573
temperatures in veins, 315
near a vein against time, 589
thermoelectric diagrams, pyrite, 581, 582
trace ferrides, N. J. magnetite, 445
variation, 418
vein composition, 308
Grasselly, G., on gossans, 176
Grawe, O. R., on millerite, 454
Gray, I. M., and Millman, A. P., discussion of article by, 983
Reflection characteristics of ore minerals, 325–348
Green, D. H., on chrysotile, 1243
on serpentine, 1235
Green, R., with Hill, P. A., *Thermoelectricity and resistivity of pyrite from Renison Bell and Mt. Bischoff, Tasmania*, 579–586
Green, W. D., et al., on alpha activity leached magnetite, 736
Greensmith, J. T., discussion by, 118
discussion of article by, 459
Gregory, H. E., on Peruvian stratigraphy, 906
Griesens, Nb-Ta bearing, 393
Grieg, J. W., et al., on silica solubility, 866
Grip, E., on palingenic lead ores in Norway, 897
Grogan, R. M., with Temple, A. K., abstract SEG meeting, 1008
and Shrode, R. S., on fluid inclusions, 2
Grohskopf, J. G., and McCracken, E., on sedimentary millerite, 454
Gross and Strangway, discussion about, 835
Ground water, Colorado plateau, solubility of uranium in, 152
Groundwater reservoirs, Tarai and Bhabar zones of India along the Himalayan foothills as potential (Mehta and Adyalkar), 367
Grubb, P. L. C., *Serpentinization and chrysotile formation in the Matheson ultrabasic belt, northern Ontario*, 1228–1246
Gruner, J. W., discussion by, 628
on magnetite, 260
on silica solubility, 864, 866, 872, 874
Guimaraës, D. J., on carbonatites, 385
Gumilevskii, L., review of book by, 638

Haboshi, F., *Correlation between the uranium content of marine phosphates and other rock constituents*, 1081–1084
Häggite, 152
Hallowes, K. A. K., on origin of copper veins, 66
Hamilton, W., on Sudbury origin, 571
Hanley, J. B., et al., on muscovite in Wyoming, 1100

Harada, M., on alumina in soils, 1200
Harker, H., on pneumatolysis, 947
Harned, H. S., and Embree, N. D., on dissociation of acids, 1268
Harward, M. E., and Coleman, N. T., on H-saturated clay preparation, 1208
Hathaway, J. C., on roscoelite-montmorillonite clays, 160
Hatschek, E., and Simon, A. L., on silica gels, 882
Hawkes, H. E., and Bloom, H., on geochemical field tests, 603
Hayase, K., and Harada, T., on Japanese pyrite genesis, 970
and Mariko, T., on Japanese pyrite ore genesis, 970
Hayes, A. O., on Wabana oolites, 935
Heat loss in veins, 313
Heier, K. S., and Taylor, S. R., on Br and Sr in K-feldspar, 1114
Heinrich, E. W., communication by, 616
on muscovites in pegmatites, 1127
on pegmatite, 214
on pegmatite zonation, 1096
Helgeson, H. C., abstract SEG meeting, 1016
Helke, A., *The metallurgy of the chromite deposits of the Guleman district, Turkey*, 954–962
Helium age dating affected by radioactive coatings, 736
source of error, 736
Helium method and the age of the Cornwall, Pennsylvania magnetite ore (Fanale and Kulp), 735
Hem, J. D., and Cropper, W. H., on iron solutions, 1198
Hemley, J. J., on PbS solubility, 822
Hemrich, E. W., and Perhac, R. M., abstract SEG meeting, 1014
Hemwall, J. B., on clay mineral "solubility products," 1208
Hewlett, R. C., review of book by, 1154
Heyl, A. V., Agrew, A. F., Lyons, E. J., and Behre, C. H., Jr., on nickel in Mississippi Valley ores, 454
Heyl, A. V., Milton, C., and Axelrod, J. M., on nickel in Mississippi valley ores, 454
Hiessleitner, G., on chromite, 954
Higashimoto, S., on Japanese pyrite ore, 969
Hill, D., and Denmead, H. K., review of book edited by, 470
Hill, P. A., discussion of article by, 982
The gossans of Minas Carlota, Cuba, 168–194
and Green, R., *Thermoelectricity and resistivity of pyrite from Renison Bell and Mt. Bischoff*, 579–586
Hill, V. G., discussion of paper by, 637
Hitchen, C. S., on silica in solution, 871
Hodgkins, J. A., review of book by, 126
Hoffer, T. E., on ice nucleation, 1052
Holden, E. C., on gossans, 178
Hollandite, 198–207
Holmquistite, 1129
Horikoshi, E., on exhalative pyrite ores, 1078
Hornung, G., communication by, 1127
Host rocks for copper ore (Bichan), 1262
Newfoundland copper ores, 1265
Hostetler, P. B., and Garrels, R. M., *Transportation and precipitation of uranium and vanadium at low temperatures with special reference to sandstone type uranium deposits*, 137–167
Howd, F. H., on jasperoid, 878
Howe, R. H., and Burnham, C. W., on silica transport, 867
Hoyt, J. B., review of book by, 1155
Huang, W. T., book by reviewed, 1277
Huber, N. K., on jasperoid, 880
Huff, L. C., and Lesure, F. G., *Diffusion features of uranium-vanadium deposits in Montezuma canyon, Utah*, 226–236
Hunt, E. C., North, A. A., and Wells, R. A., on nickel chromatography, 596
Hurley, P. M., on granite radioactivity, 736
on magnetic age determination, 735
Hutchinson, G. E., on metal ions in lake water, 363
Hutchinson, R. W., discussion by, 834
Hydrobiotite, 776
Hydrolysis of Al-ions in clay systems, 1211
Hydrothermal alteration, facies and types (Burnham), 768
and ore, 783
Santa Rita, New Mexico, 782
deposits, Chile, 104
Sudbury basin, sulfur isotopes, 572
fluids, carbon dioxide, effect of, 592
discussion, 589–591
effect of dissolved salts, 591
origin of Rhodesian copperbelt, 727
solutions, metal transport in, 811
versus syngenetic theories of ore deposition (Sales), 721
Hydroxyquinoline in paper chromatography, 242
Hystrichospheres, 354

Idaho, Coeur d'Alene district, Highland-Surprise mine, temperature of crystallization of pyrrhotite and sphalerite (Arnold, Coleman, and Fryklund), 1163
Identification of metal ions in ore minerals by paper chromatography. Part I. Opaque ore minerals (Ritchie), 238–248
Iler, R. K., on calcite solubility, 886
on silica solubility, 868, 872, 873, 874, 883
Illinois fluorspar district, mineralizing solutions, 511
mineralogy and paragenesis, 503
ore textures, 515

Illinois fluorspar district—*Continued*
solution phenomena, 525
stratigraphy, 500
Illinois, ore genesis of the Cave-In-Rock fluorspar district, Hardin County (Brecke), 499
Inclusions, temperatures of mineral formation in the Miami-Picher district as indicated by liquid (Schmidt), 1
Inclusion thermometry, 2
India, Bhabar deposits as an aquifer, 368
Cross folding, migmatization and ore localization along part of the Singhbhum shear zone, south of Tatanagar, Bihar (Banerji), 50–71
drilling water wells, 370
geochemistry of black shales (communication), 614
groundwater exploration, 371
Kolar, as persistent in depth, 294
gold field, 262
study of the metamorphic manganese ores of Bharweli mine area, Madhya Pradesh, and their genesis (Roy), 195–208
Tarai and Bahabar regions, climate, 369
Tarai and Bhabar zones of, along the Himalayan foothills as potential groundwater reservoirs (Mehta and Adyalkar), 367
Tarai and Bahabar zones, water quality, 375
Infrared absorption on sepiolite, 1091
Ingerson, E., on silica, 883
Internal zoning pegmatites, Nb and Ta bearing, 392
International Oil and Gas Educational Center, review of book by, 843
Intrusion forms, ultrabasic rocks, Ontario, 1229
Intrusive rocks, Chañarcillo silver district, Chile, 1253
Investigation of minor element content of potash feldspar from pegmatites, Haystack Range, Wyoming (Carl), 1095
Iron deposits, Chile, 98
ore reserves of Chile, 98
Ishikawa, H., Kuroda, R., and Sudo, T., *Minor elements in some altered zones of "Kuroko" (black ore) deposits in Japan*, 785–798
Isotope dating versus geological dating, 715
study defines a geological structure, a lead (Slawson and Austin), 21
(sulfur) distribution in sulfides and sulfates from Broken Hill South, New South Wales (Lawrence and Rafter), 217–225
Isotopes, and ore leads (Brown), 673
Iwao, S., on elemental movement in alteration, 794
Iztrannye trudy (selected works) (Bilibin), Davidson, 986
Jackson, M. L., et al., on quartz solubility, 1197
Jahns, R. H., on pegmatite wall alteration, 1129
Jamaica, bauxite genesis (communications), 829
geochemical prospecting for nickel, 637
James, A. H., and Dennen, W. H., *Trace ferrides in the magnetite ores of the Mount Hope mine and the New Jersey Highlands*, 439–449
James, T. C., on carbonatites, 387
Jansen, G. J., abstract SEG meetings, 1011
Japan, Hanaoka mine, minor elements in the altered zone, 786
minor element distribution, 788
Kamikita mine, minor element distribution, 789
minor elements in some altered zones of "Kuroko" (black ore) deposits (Ishikawa, Kuroda, and Sudo), 785
southwestern, Yanahara district, genetic considerations of magnetite and pyrrhotite in pyritic deposits (Tsusue), 969
Jarosite, Cuba, 179
Jasperoid, formation of, 875
geologic opinions, 875–884
the origin of in limestone (Lovering), 861
replacement of carbonates, 884
Jasperoids, differentiated from chert, 862
Jensen E., on pyrrhotite, 74
Jensen, M. L., discussion of article by, 1134
on reducing environments, 158
on sulfur isotopes, 574
and Dechow, E., on biogenic sulfur, 271
Johnstone, S. J., and Johnstone, M. G., review of book by, 843
Joliffe, A. W., abstract SEG meeting, 1018
Jones, John M., *A new micro-reflectometer*, 42–49
Jordaan, on Nkana origin, 731
Jordano, V., Goyburu de la Cuba, E., with Gabelman, J. W., *The Cachimayoc breccia pipe, Cuzco Department, Peru*, 904–920
Kalafatovich, U., on Peruvian geology, 906
Kalliokoski, J., discussion of article by, 834
reviews by, 276
Kamiya, H., on dissolution of rock silica, 1187
Kansas, west central, sphalerite mineralization in deep lying dolomites of upper Arbuckle age (Evans), 548
Kaolinite subzone, argillic facies, 771
Karkhanavala, M. D., on origin of uranium veins, 67
Kautsky, C., on paligenic sulfides in Norway, 897
Keevil, N. B., on helium age determination, 735

Keewatin volcanics, 1236
Kendall, D. L., on Appalachian ores, 115
Kennedy, G. C., on heat of solution of quartz, 307
on silica solubility, 867, 883
and Shields, L. D., with Dickson, F. W., *A method for the determination of equilibrium sulfur pressures of metal sulfide reactions*, 1021–1030
Kerr, A. T., et al., on alteration of H-clay, 1208, 1211
Kesler, T. L., discussion by, 982
Kiersch, G. A., on jasperoid, 880
Kiesklümpchen, 351
Kieskügelchen, 351
Kimrey, J. S., abstract SEG meeting, 1015
King, L., review of book by, 999
Kinkel, A. R., Jr., on gossans, 171
Kinkel, A. R., *Observations on the pyrite deposits of the Huelva district, Spain, and their relation to volcanism*, 1071–1080
The Ore Knob massive sulfide copper deposit, North Carolina: an example of recrystallized ore, 1116–1121
Kinney, D. M., on geologist seeking jobs, 660
Kittl, E., on Bolivian tin veins, 540
Kivalo, P., and Ringbon, A., on solubility product of PbS, 810
Klages, M. G., and White, J. L., on chlorite in soil, 1215
Klockman, F., on volcanic flows at Spanish pyrite deposits, 1072
Knoerr, A. J., on population increases, 667
Koch, G. S., and Link, R. F., abstract SEG meetings, 1011
Koksoy, M., with LeRoy, L. W., *The lichen—a possible plant medium for mineral exploration* (communication), 107–111
Kordes, E., and Rackow, B., on metal sulfide reactions, 1022
Koschmann, A. H., on jasperoid, 880
Kotlyar, V. N., review of book by, 469
Koval'skii, V. V., review of book by, 987
Kraume, E., et al., on exhalative pyrite ores, 1078
Krauskopf, F. C., on ore solutions, 32
Krauskopf, K. B., on ore deposition, 299
on silica solubility, 869, 883
Kretz, R. A., on partition of elements, 1170
Krushchov, N. A., review of book by, 987
Kukharenko, A. A., review of book by, 468
Kullerud, G., furnace, 74
on pyrite, 74
on sphalerite geothermometer, 891, 1173
et al., on sphalerites in Norway, 892
and Yoder, H. S., on pyrite inversion to pyrrhotite, 897
Kulp, J. L., with Fanale, F. P., *The helium method and the age of the Cornwall, Pennsylvania magnetite ore*, 735–746
Kupferschiefer and Marl Slate, biogenic primary sulfide of the Permian (Love), 350
Kuroda, R., Sudo, T., with Ishikawa, H., *Minor elements in some altered zones of "Kuroko" (black ore) deposits in Japan*, 785–798
Kuznetzov, S. S., review of book by, 278

Lacustrine manganese deposits, Chile, 104
Laffitte, P., *Mechanism and duration of vein deposit formation*, 587–594
Lakin, H. W., a chromograph designed by, 596
Lamprophyres, 1236
Laney, F. B., on jasperoid, 877
Lateral secretion origin for Yellowknife, discussed, 1137
Lateritic manganese ore Brazil, 489
Laterization, leaching experiments on three quartz free silicate rocks and their contribution to an understanding of (Pickering), S.E.G. weathering symposium Part I, 1185
versus podzolization, 1197
Lawrence, L. J., and Rafter, T. A., *Sulfur isotope distribution in sulfides and sulfates from Broken Hill South, New South Wales*, 217–225
Layton, R. G., on ice nucleation in fluid inclusions, 1053
Leaching experiments geological significance results, 1195
Leaching experiments on three quartz free silicate rocks and their contribution to an understanding of laterization (Pickering), S.E.G. weathering symposium Part I, 1185
Leaching of rocks, 198
Lead in alteration zones, 791
deposits, isotopes discussed, Australia, Japan, and Eastern Asia, 689
central Eurasia, 687
eastern North America, 681
Europe and North Africa, 683
southern Africa and Madagascar, 691
western North America and South America, 685
isotope relations of Mississippi valley deposits, 694
world wide, 693
Isotope study defines a geological structure (Slawson and Austin), 21
isotopes and uniformitarianism, 714
minerals, Broken Hill, Australia, 217
sulfide solubility of, in H_2S-water solutions (Anderson), 809
-zinc deposits, Chile, 103
Leads, anomalous or contaminated, 701
ore, and isotopes (Brown), 673
Leech, G. B., on chrysotile, 1243
Legget, R. F., review of book by, 1000

Leith, C. K., and Harder, E. C., on formation of magnetite, 947
Lenher, V., and Merrill, H. B., on solubility of silica, 864
Lenker, E. S., abstract SEG meeting, 1012
Lepp, H., discussion by, 260
on magnetite oxidation, 260
LeRoy, L. W., and Koksoy, M., *The lichen—a possible plant medium for mineral exploration* (communication), 107–111
Lesure, F. G., with Huff, L. C., *Diffusion features of uranium-vanadium deposits in Montezuma canyon, Utah*, 226–236
Lewin, J. C., on solution of diatoms, 1187
Liebenberg, W. R., on South African gold, 456
Liesegang, R. E., on diffusion, 232
Limestone, the origin of jasperoid in (Lovering), 861
Limonite, exotic, defined, 171
indigenous, defined, 171
migrated, defined, 171
transported, 171
Limonitic oolite, 926
Lindgren, W., on Bolivian tin paragenesis, 540
on jasperoid, 876, 877, 880
and Loughlin, G. F., on jasperoid, 877
Link, R. F., with Koch, G. S., abstract SEG meetings, 1011
Lithology, Cachimayoc breccia pipe, Peru, 910
Ljunggren, P., communication by, 978
Lollingite, Chile, 102
Love, L. G., *Biogenic primary sulfide of the Permian Kupferschiefer and marl slate*, 350–366
discussion by, 460
discussion of article by, 1134
and Zimmerman, D. O., discussion about, 265
on pyrite spheres, 352
Lovering, T. G., *The origin of jasperoid in limestone*, 861–889
Lovering, T. S., on jasperoid, 877
on silica solubility, 864, 872, 873, 874, 882
on vein composition, 308
Low, P. F., on acid mineral soils, 1207
on H-saturated clay preparation, 1208
Ludeman, F. L., Snelgrove, A. K., with Spain, J. D., *The use of precipitation chromatography in geochemical prospecting; mineral identification with disposable agar gel columns*, 248–259
Ludwigite from the Read magnetite deposit, Stevens County, Washington (Schaller and Vlisidis), 950
Lugou, S. F., book by reviewed, 1275

Mackay, R. A., discussion by, 459
Macnamara, J., and Thode, H. G., on sulfur isotopes in meteorites, 571
Magak'yan, I. G., review of book by, 1152
Magistad, O. C., on aluminum in soil, 1186
Magmatic deposits, Chile, 104
Magnesite, 154
-picrolite veins, 1237
Magnetite, 55, 972, 1232
deposit, Read, ludwigite from, Stevens county, Washington (Schaller and Vlisidis), 950
southwestern Stevens county, Washington, mineralogy and geochemistry of (Bennett), 941
and pyrrhotite mode of occurrence, Japan, 970
in pyritic deposits, genetic considerations of, Yanahara district, southwestern Japan (Tsusue), 969
ore, Cornwall, Pennsylvania, the helium method and the age of (Fanale and Kulp), 735
oxidation of (discussion), 628
-apatite veins, Singhbhum shear zone, India, 64
ores of the Mount Hope mine and the New Jersey Highlands, trace ferrides in (James and Dennen), 439
Magnetitic anomalies, sphalerite area western Kansas, 562
Malcomson, J. W., on gossans, 175
Manganese deposits, Chile, 104
Ecuador, 805
geology of the Serra Do Navio district, Brazil (Nagell), 481
nodules, chemical composition, 763
cobalt rich, 765
composition regions, 763
concentration and distribution, 753
at depth in sediments, 760
description, 749
environment, 751
formation, 750
iron rich, 764
mineralogy, 751
nickel-copper rich, 765
nucleic, 750
ocean-floor (Mero), 747
photograph, 748
rate of accumulation, Pacific ocean, 756
rate of formation, 753
ore types, Brazil, 487
ores of Bharweli mine-area, Madhya Pradesh, India, and their genesis, study of the metamorphic (Roy), 195–208
Manganite, 198–207
Map(s)—
alteration, Cachimayoc breccia pipe, Peru, 911
assay, Stanrock mine, Blind River, Ontario, 1179
Astragalus (selenium indicator) isodensity map, Cachimayoc breccia pipe, Peru, 915
Cuba, Trinidad Mtns. shown, 170
Chile, types of copper deposits, 95

Map(s)—Continued
geologic, allanite pegmatites, Nevada, 210–211
alteration zones, Santa Rita, New Mexico, 782
Cachimayoc breccia pipe, 909, 911
central Chile, 1033
Chambishi-Nkana basin, Northern Rhodesia, 726
Chañarcillo quadrangle, Chile, 1252, 1253
faults and veins, Chañcillo mining district, Chile, 1256
Haystack range, Wyoming, 1096
magnetite deposit, Cornwall, Penn., 740
Matheson ultrabasic belt, Ontario, 1230
Minas Carlota, Cuba, 170, 174
New Jersey highlands, magnetite mines, 440
northern Rhodesian copperbelt, 724
part of Rhodesian copperbelt, 728
Read magnetite deposit, Washington, 942
Shimo-Yanahara ore deposit, Japan, 972
silver district of northern Chile, 1249
Singhbhum shear zone, India, 54, 56, 59
and structural, Caracoles tin veins, Bolivia, 537, 539
Sudbury, Canada, 566
Yanahara district, Japan, 971
index, Alberta, 923
Cachimayoc breccia pipe, Peru, 905
Colorado, nickel field test, 600
Japan, Yanahara district, 970
manganese deposits, India, 196
massive pyrite deposits Huelva district, Spain, 1073
Norwegian sulphide deposits, 892
and ore deposit, Illinois, fluorspar district, 500
San Juan county, Utah, 227
Serra de Navio district, Brazil, 483
sphalerite mineralization, Kansas, 549
streams sampled, Chile, 1032
Tasmania, 580
western U. S., beryllium samples, 964
India, showing Tatanager, 51
magnetic data, sphalerite area, western Kansas, 562
manganese nodule composition region, Pacific ocean, 764
sample stations, Pacific ocean, 757
metallogenetic provinces, Chile, 93, 94
Miami-Picher district, 3
Mud Bay, B. C., distribution, grain size, S, Fe, Cu, Pb, Zn, 406–408
New Mexico, lead isotopes, tectonic features, 23
nickel field test results, Colorado, 602
ore body sample locations, Kamikita mine, Japan, 788
Map(s)—Continued
ore outcrop, manganese, Serra de Navio, Brazil, 484
related fold axes, Singhbhum shear zone, India, 59
sheet, Blind River, 1176
zones and faults, Blind River, Canada, 1176
orogenic, Bolivia, 980
South America, 981
radioactivity isorad, Cachimayoc breccia pipe, Peru, 915
sample, Searchlight, Nevada, stock, 1063
sketch, pegmatite, 1105, 1107
pegmatites in granite, 1104
Quirke-Denison ore sheets, Blind River, Canada, 1177
Singhbhum shear zone, 52
solution direction and ore body, Illinois fluorspar district, 510, 513, 514, 521, 524, 531
structural, Illinois fluorspar district, 510, 514
sphalerite area, western Kansas, 551, 557, 558
Marshall, C. E., *Reactions of feldspars and micas with aqueous solutions*, S.E.G. weathering symposium, Part III, 1219–1227
Marvin, R. F., and Magin, G. V., on carnotite solubility, 149
Mass spectrometry, 222
McCartney, W. D., discussion by, 1131
McKelvey, V. E., and Carswell, L. D., on uranium in phosphates, 1081
and Nelson, J. M., on uranium in phosphates, 1081
McKinnon and Smit, on Nchanga origin, 732
McKinstry, H. E., on fracturing, 545
McKnight, E. T., on Arkansas ores, 454
on jasperoid, 878
McNeely, R. B., on faulting in western Kansas, 503
Mechanism and duration of vein deposit formation (Laffitte), 587
Mechanisms of mineral zoning (Barnes), 30
Mehmel, M., on dissolution of rock silica, 1187
Mehta, D., and Adyalkar, P. G., *Tarai and Bhabar zones of India along the Himalayan foothills as potential groundwater reservoirs*, 367–376
Mellon, G. B., *Petrology of upper Cretaceous oolitic iron-rich rocks from northern Alberta*, 921–940
Mendelsohn, F., on cobalt in pyrite, 270
on Rhodesian copperbelt, 725
Menyailov, A. A., review of book edited by, 279
Mercury deposits, Chile, 103
Ecuador, 806

Mero, J. L., *Ocean-floor manganese nodules*, 747–767
Metal distribution in a modern marine mud, 406
ions, detected by paper chromatography, 238–248
movement during alteration, 794
transport in hydrothermal solutions, theory, 811
Metallogenesis in carbonatites, 388
of columbium and tantalum, 379
Metallogenetic provinces of Chile, S. A. (Ruiz and Ericksen), 91–106
Metallogeny of the chromite deposits of the Guleman district, Turkey (Helke), 954
Metamorphic manganese ores of Bharweli mine-area, Madhya Pradesh, India, and their genesis (Roy), 195–208
Metamorphism, central Amapa, Brazil, 486
Metamorphosed sulphides, 895
Metasediments, central Amapa, Brazil, 483
Metasomatism, potash, 781
Metastability of water in fluid inclusions, 1052
Method for the determination of equilibrium sulfur pressures of metal sulfide reactions (Dickson, Shields, and Kennedy), 1021
Meyer, A., on carbonatites, 385
Miami-Picher district as indicated by liquid inclusions, temperatures of mineral formation (Schmidt), 1
Miami trough, 4
Mica cationic bonding energies, 1226
surfaces characterized by selectivity curves, 1224
as exchangers, 1223
Micas and feldspars, reactions of, with aqueous solutions (Marshall), S.E.G. weathering symposium, Part III, 1219
Michigan, White Pine, origin, 831
Microcline, 1098
spectrography, 1108
Microfossils in sulfide spheres, 354
Microspheres, pyritic, 350 ff
Migmatization and ore localization along part of the Singhbhum shear zone, south of Tatanagar, Bihar, India, cross folding (Banerji), 50–71
Miller, J. P., on calcite solubility, 885
Miller, L. J., on uranium solutions, 157
Miller, V. C., and Miller, C. F., review of book by, 470
Millerite, in calcite veins, Arkansas, 453
Millman, A. P., with Gray, I. M., discussion of article by, 983
Reflection characteristics of ore minerals, 325–348
Mineral composition, iron oolite, Alberta, 925
deposits, Searchlight stock, Nevada, 1064
Mineral composition—*Continued*
parageneses of the massive sulfide ore bodies of the Caledonides of Norway (Vokes), 890
resources of Ecuador, notes on (Stoll), 799
Mineralization, Cachimayoc breccia pipe, Peru, 916
Newfoundland copper belt, 1266
of carbonatites, 385
central Chile, 1034
Kolar gold field, 264
sphalerite, deep lying in western Kansas, 559
Mineralizing solutions, Illinois fluorspar district, 511
Mineralogy and geochemistry of the Read magnetite deposit, southwestern Stevens county, Washington (Bennett), 941
Highland Surprise mine, Idaho, 1165
manganese nodules, 751
manganese ores, Bharweli, India, 197
Matheson ultrabasic rocks, Ontario, 1231
and paragenesis, Chilean ore deposits, 96
Illinois fluorspar district, 503
pegmatites, Haystack range, Wyoming, 1098
Minor elements in some altered zones of "Kuroko" (black ore) deposits in Japan (Ishikawa, Kuroda, and Sudo), 785
Minor folds, Singhbhum shear zone, India, 59
Missouri, Bonne Terre, as nonpersistent, 296
Mobile belts mineralization in (discussion), 1131
Modal analyses, ultrabasics, 1233
Molibden (molybdenum) (Krushchov), Davidson, 987
Molybdenite, Chile, 103
Molybdenum, Ecuador, 806
Montana, Butte, as zoned, 294, 296
Stillwater complex, sulfur isotopes, 572
Monmorillonite subzone argillic facies, 771
Montroseite, 151
Moore, C. B., review of book by, 844
Moore, E. S., and Maynard, J. E., on silica in surface water, 865, 882
Morey, G. W., and Hesselgesser, J. M., on quartz solubility, 868
Morris, H. T., on jasperoid, 878
and Lovering, T. S., on metals in wall rocks, 794
on prospecting for lead-zinc, 794
Mortimer, F. S., on enthalpy and entropy, 821
Mukaiyama, H., review of book by, 276
Murphy, G. E., review of book by, 126
Murty, P. S. N., Aswathanarayana, U., and Mahadevan, C., communication by, 614
Muscovite, 776, 1100

Nackowski, M. P., review by, 125
Nagell, R. H., *Geology of the Serra Do Navio manganese district, Brazil*, 481–498
Nantokite, 111
Nanz, R. H., on carbon in shale, 460
Nara, K., and Mookherjee, A., discussion by, 262
Narayanaswami, S., et al., discussion about, 262
Navahoite, 155
Nb and Ta exploration, 402
-Ta resources, 399
Neuhaus, A., on pyrite spheres, 351
Nevada, allanite pegmatites, Red Rock, compared with allanite pegmatites in southern Nevada and California (Volborth), 209–216
Ferber district, sepiolite, 1087
gold field, as non-persistent in depth, 294
Pioche, as non-persistent, 296
Searchlight, trace element distribution in the quartz monzonite stock (Shrivastava and Proctor), 1062
and Utah, occurrences of sepiolite in (Ehlmann, Sand, and Regis), 1085
New Jersey Highlands and the Mount Hope mine, trace ferrides in the magnetite ores of (James and Dennen), 439
New Mexico, lead isotope study, 21
Santa Rita, alteration, 782
Newhouse, S. I., on fluid inclusions, 2
New micro-reflectometer, a (Jones), 42–49
Niccolite, reflection pleochroism, spectral bireflection, 339
Nickel, field methods for the determination of using dimethylglyoxime (Bloom), 595
field test, soil results, 601
trials, 600
geochemical prospecting for, Jamaica (discussion), 637
in alteration zones, 792
Nininger, R. D., with Gabelman, J. W., and Adler, H. H., abstracts SEG meeting, 1015
North Carolina, the Ore Knob massive sulfide copper deposit: an example of recrystallized ore (Kinkel), 1116
Northcote, K. E., with White, W. H., *Distribution of metals in a modern marine environment*, 405–409
Norway, mineral parageneses of the massive sulfide ore bodies of the Caledonides of (Vokes), 890
Nucleation of ice in fluid inclusions, 1052
Nutting, P. G., on rock solubility, 1188
on silica solutions, 884

Oborn, E. T., and Hem, J. D., on natural iron complexes, 1188
Observations on the pyrite deposits of the Huelva district, Spain, and their relation to volcanism (Kinkel), 1071
Ocean-floor manganese nodules (Mere), 747
Occurrences of sepiolite in Utah and Nevada (Ehlmann, Sand, and Regis), 1085
Odikadze, G. L., on prospecting for beryl and columbite-tantalite, 616
Oelsner, O., on ore genesis, 116
Oftedahl, C., on submarine exhalations, 365
Ohle, E. L., discussion by, 831
on banding in ore deposits, 517
Oil adsorptives, commercial, 606
Okamoto, G., et al., on silica solubility, 869, 871, 872, 873, 874
Olivier, H., review of book by, 843
Olsen, E., on serpentinization, 1242
Olivine, 1231
Ontario, Munto ultrabasic sill, 1231
Onaping tuffs, 573
Sudbury basin, hydrothermal deposits, sulfur isotopes, 572
Oolite bed, Alberta, origin, 937
iron rich, mineralogy, Alberta, 925
Oolitic iron-rich rocks, upper cretaceous, from northern Alberta, petrology of (Mellon), 921
Opaque ore minerals. Part 1 of *The identification of metal ions in ore minerals by paper chromatography* (Ritchie), 238–248
Opaque minerals, anisotropic colors, 339
color and reflection pleochroism, 338
conoscopic features, 340
optical properties dependent on spectral profile, 338
reflectivities, 332–337
reflectivity related to physical properties, 346
vs. microhardness, graph, 344–345
spectral reflectivity and mineral identification, 342
Opredeleniye absolyutnogo vozrasta gornykh porod i mineralov: bibliografiya (determinations of absolute age of rocks and minerals: bibliography), Davidson, 988
Optical properties sepiolite, 1093
Ore deposit ages, and lead isotopes discussed, 677ff
Chañarcillo silver district, Chile, 1257
types, Chile, 98
manganese, Amapa, Brazil, 487
Bharweli, India, 196
massive pyrite, Spain, 1075
Montezuma canyon, Utah, 228
non persistent in complex environment, 297
deposition, by gas phase, 299
by solutions, 299
effects of environment on (Parker), 293

Ore deposit ages—*Continued*
energy exchange in, 298
hydrothermal versus syngenetic theories of (Sales), 721
non persistent in carbonate host rock, 296
near energy source, 295
near surface, 296
persistent, 297
related to environment, 295
genesis, 265
by lateral secretion, 265–273
Illinois fluorspar district, 511
of the Cave-In-Rock fluorspar district, Hardin County, Illinois (Brecke), 499
Knob massive sulfide copper deposit, North Carolina: an example of recrystallized ore (Kinkel), 1116
lead, evolution of, 696
leads and isotopes (Brown), 673
Localization along part of the Singhbhum shear zone, south of Tatanagar, Bihar, India, cross folding, migmatization and (Banerji), 50–71
minerals of columbium and tantalum, 381
reflection characteristics (Gray and Millman), 325–348
shoots, Caracoles tin veins, Bolivia, 545
sulfide, mineral parageneses of the massive bodies of the Caledonides of Norway (Vokes), 890
textures, Illinois fluorspar district, 515
zones, Blind River, Canada, 1175
Origin of basic and ultrabasic intrusives, 1238
of chrysotile veins, 1242
of jasperoid in limestone (Lovering), 861
of massive pyrite deposits in Spain, 1077
Serra do Navio, manganese ore, Brazil, 496
Orogenic evolution and Bolivian tin, (communication), 978
Osborne, F. F., discussion of article by, 458
Osthaus, B., on clay mineral dissolution, 1208, 1210, 1211
Ostroumov, E. A., on diagenetic pyrite, 266
Otvos, E., reply by, 274
Oxidation of magnetite, 260–262
and goethite (discussion), 628
zoned uranium deposits, 235
Oxidized ores, Broken Hill, Australia, 218

Paragenesis, copper minerals, Algomah mine, Michigan (communication), 111
Japanese, pyrrhotite ores, 975
manganese minerals, Bahrweli, India, 204–205
mineral, of the massive sulfide ore bodies of the Caledonides of Norway (Vokes), 890
Paragenesis—*Continued*
and mineralogy, Chilean ore deposits, 96
Illinois fluorspar district, 503
Nb and Ta deposits in granites, 390
-Ta pegmatites, 392
Northern Rhodesian copper ores, biogenic origin, 626
ores, Miami-Picher district, 5
Paramelaconite, 111
Paratacamite, 111
Park, C. F., on Chilean iron ore, 99
on zoning, 30
Park, C. F., Jr., and Cannon, R. S., on jasperoid, 880
Parker, P. D., article by discussed, 1268
Some effects of environment on ore deposition, 293–324
PbS solubility, 810
versus H_2S concentration, 821
vs. pH, 817
versus temperature, 820
Peech, M., on pH and Al on soils, 1212
Pegmatites deformed later, 1105
displacement, 1103
emplacement, mechanism, 1103
Haystack Range, Wyoming, an investigation of minor element content of potash feldspar from (Carl), 1095
mineralization, wall rock composition as a guide to (Hornung), 1127
Nb and Ta deposits in, 390
non granitic, Nb-Ta bearing, 394
permissive, 1103
Red Rock, Nevada compared with allanite pegmatites in southern Nevada and California (Volborth), 209–216
replacement and tourmalinization, 1105
Pehrson, E. W., on metal reserves, 668
Pelagic sediments, 751
Pennsylvania, Cornwall, the helium method and the age of the magnetite ore (Fanale and Kulp), 735
magnetite, geologic setting, 738
Percival, F. O., discussion by, 835
Percolation tests, rock leaching experiments, 1192
Perhac, R. M., and Heinrich, E. W., abstract SEG meeting, 1014
Peridotites, 1235
Perouskite, 381
Perry, W. D., on Tsumeb, 680
Peru, the Cachimayoc breccia pipe, Cuzo Department (Gabelman, Jordán, O., and Goyburu de la Cuba), 904
Cerro de Pasco, 297
Peterson, U., abstract SEG meeting, 1016
Petrascheck, W. E., on chromite, 955
review of book by, 999
Petrofabric studies, Singhbhum shear zone, India, 60
Petrography, Matheson ultrabasics, Ontario, 1233

Petrography—*Continued*
pegmatites, Haystack Range, Wyoming, 1097
Searchlight stock, Nevada, 1095
Petroleum in Ecuador, 800
Petrology, Matheson ultrabasics, Ontario, 1238
of pegmatites, discussed, 1112
of upper Cretaceous oolitic iron-rich rocks from northern Alberta (Mellon), 921
Pettersson, H., on rate of manganese nodule formation, 753
pH, effect on silica solubility, 868
Phemister, T. C., on Sudbury origin, 571
Phascorite, 383
Phosphates, marine, correlation between the uranium content of and other rock constituents (Habashi), 1081
Photograph, allanite in pegmatite, 212
contact relations at Cornwall, Penn., 739
fluorspar ore in place, Illinois, 518, 523, 527, 528
gossan, 184, 185, 186
manganese nodules, 748, 760
on the sea floor, 752, 754, 755, 759
Ore Knob sulphides, 1119
pegmatite outcrops, 1106
precipitation chromatography columns, 257
specimen, ludwigite, magnetite, chrondrodite and apatite, 944
massive pyrite, Spain, 1075
supergene galena, 219, 220
sphalerite, 221
Photomicrographs, fluid inclusions, frozen and melting, 1055
manganese minerals, 200–204
oolitic iron, 927
rocks and ore, Illinois fluorspar district, 505, 507
serpentine with chrysotile, 1234
sulfide microspheres, and microfossils, 355
synthetic pyrrhotite, 78, 82
Phyllic facies of hydrothermal alteration, 778
Physiography, Cuzco-Anta area, Peru, 905
Pickering, R. J., *Some leaching experiments on three quartz free silicate rocks and their contribution to an understanding of laterization*, S.E.G. weathering symposium, Part I, 1185
Picrolite, 1237
Pienaar, on Bwana Mkubwa origin, 732
Pisarzhevskii, O., review of book by, 638
Placers, chronology, 396
genesis, 397
mineral association, 398
morphology, 396
Nb-Ta deposits, 395
Plagioclase, 1099, 1231
Plan and section, relation migmatization to deformation, Singhbhum shear zone, India, 58
Plans, gossan outcrops, 176
Platinum deposits, genesis (communication), 619
Podzolization, 1199
Poldervaart, A., on harristic layering, 1238
Polishing, thermoelectric effects, 584
Polkanov, A. A., review of book edited by, 638
Porphyry-copper deposits, Chile, 100
Portland cement, Ecuador, 806
Precambrian isotope hiatus, 712
life, 576
sedimentary rocks, Sudbury, 574
Precipitation chromatography in geochemical prospection; mineral identification with disposable agar gel columns (Spain, Ludeman and Snelgrove), 248–259
Press, Frank, review of book by, 127
Pressure reduction, energy loss by, 318
Preuner, G., and Brockmoller, I., on sulfur vapor pressure, 1022
Previous work, rock leaching experiments, 1186
Problema proiskhozhdeniya almazov (*the problem of the origin of diamond*) (Vasil'ev, Koval'skii, and Cherskii), Davidson, 987
Promblemy radiogeologii (problems of *radiogeology* (Voitkevich), Davidson, 987
Proctor, P. D., with Shrivastava, J. N., *Trace element distribution in the Searchlight, Nevada quartz manzonite stock*, 1062–1070
Proplyitic subzone, argillic facies, 771
Propylitization, 771
Protore, gondite, manganese, Brazil, 490
Pyrite, 540, 971
cell dimensions related to composition, 84
deposits of the Huelva district, Spain, and their relation to volcanism, observations on (Kinkel), 1071
from 325° C to 743° C, equilibrium relations between pyrrhotite and, (Arnold), 72–90
spheres, 350ff
secondary sulfide formation, 361
sulfide formation, 359
sulfide-organic matter relation, 357
thermoelectricity and resistivity of, from Renison Bell and Mt. Bischoff, Tasmania (Hill and Green), 579
-pyrrhotite ore comparison in Norway, 896
Pyritic deposits, genetic considerations of magnetite and pyrrhotite in; Yanahara district, southwestern Japan (Tsusue), 969

Pyritic deposits—Continued
ores of the Caledonides, 890
Norwegian, geology, 894
Pyritization, Cachimayoc breccia pipe, Peru, 917
Pyritosphaera barbaria, 354
Pyrochlore, 379
Pyroclastic rocks at Spanish pyrite deposits, 1073
Pyrolusite, 198–207
ore, Brazil, 487
Pyrophyllite, 781
Pyroxene, 1231
Pyroxenite, 1233
Pyrrhotite, 972
composition, Japan, 973
measurement, 76
crystallization temperature, 1163
lamellar phase, 85
and magnetite mode of occurrence, Japan, 970
and pyrite from 325° C to 743° C, equilibrium relations between, (Arnold), 72–90
in pyritic deposits, genetic considerations of magnetite and, Yanahara district, southwestern Japan (Tsusue), 969
solvus, effect of pressure, 83
as a geothermometer, 86
location of, 77
spalerite temperatures compared, 1173
Pyrrhotitic ores of the Caledonides, 890
Norwegian, geology, 895

Quartz, 540, 1099
cores of pegmatites, 1101
heat of solution, 308
Illinois fluorspar district, 505
in oolitic iron formation, 928

Radioactivity, Cachimayoc breccia pipe, Peru, 917
Rafalsky, R. P., on uranium solubility, 157
Rafter, T. A., et al., a sulfur isotopes, 574
with Lawrence, L. J., *Sulfur isotope distribution in sulfides and sulfates from Broken Hill South, New South Wales*, 217–225
Ramberg, H., on iron in minerals, 947
Ramdohr, P., on Broken Hill, 218
on gold ores of South Africa, 456
Rankama, Kalervo, review of book by, 127
and Sahama, T. G., on Ga in pegmatites, 1114
on gels and solutions, 882
on silver in hydrothermal deposits, 791
Rauhaugite, 382
Rauvite, 155
Raymond, P. E., on gossans, 178
Reactions of feldspars and micas with aqueous solutions (Marshall) S.E.G. symposium on weathering, Part III, 1219
Recrystallized massive sulfides (Kinkel), 1116
Red beds, bleached, 231
Redox potentials and ore deposition, 155
Reducing environment, 751
Reeves, C. C., Jr., *Chemical, mineralogical, and statistical analyses of some oil adsorptives*, 605–613
Reflection characteristics of ore minerals (Gray and Millman), 325–348
Reflectivity, measurement of, 326
accuracy of, 331
polishing procedure for measuring, 331
standards, 329
Reflectometer, a new micro- (Jones), 42–49
Regional geology of the Chanarcillo silver mining district and adjacent areas, Chile (Segerstrom), 1247
Regis, A. J., Sand, L. B., with Ehlmann, A. J., *Occurrences of sepiolite in Utah and Nevada*, 1085–1094
Regnell, U., on diagenetic pyrite, 266
Replacement, 309
vein composition, 308
Resistivity, pyrite, 579
Resources of Nb-Ta, 399
Reviews—
Almazy Yakutii (The diamonds of Yakutia) (Menyailov, editor), Davidson, 279
Atlas of placer minerals (Trushkova and Kukharenko), 468
Coal (Francis) Alexandrov, 1277
The diamond deposits of Yakutia (Bobrievic, Bondarenko, Gnevushev, Krasov, and Yurkevich), Alexandrov, 1151
Economics of petroleum exploration, development, and property evaluation, (International Oil and Gas Educational Center), 843
L'Europe et l'Afrique. I. Le potentiel minéral africain (Woodtli), Amstutz, 1150
Fersman (Pisarzhevskii), Davidson, 638
Genesis of sulfur deposits in Japan (Mukaiyama), Kalliokoski, 276
Geologic guide in the gas and oil fields of northern California (Bowen, editor), 1154
Geologiya i geneticheskie tipy promyshlennykh mestorozhdenii urana (Geology and genetic types of industrial deposits of uranium) (Kotlyar), Davidson, 469
Geology of the Atlantic and Gulf coastal provinces of North America (Murphy), 126
Geology of the Bingham mining district and northern Oquirrah mountains (Cook Ed.), Nackowski, 126
Geology and engineering, 2nd edit. (Legget), 1000

Reviews—Continued
The geology of Queensland (Hill and Denmead, ed), 470
Gidrokhimiya Ust'evykh Oblastei Rek (Hydrochemistry of river estuaries) (Almazov), Davidson, 1275
Irrigation and climate, (Olivier), 843
Istoriya estestvoznaniya v Rossi (History of natural science in Russia) Davidson, 1276
Lagerstättenlehr, 2nd edit. (Petrascheck), 999
Les eaux souterraines (Schoeller), 1155
Magmatism and mineralization in Central Asia (Abdullaev), Alexandrov, 1153
Man and the Earth (Hoyt), 1155
Mineralogiga osadochnykh utvoren' Prikarpatlya (Mineralogy of sedimentary formations of the Precarpathians) (Lazarenko, Gabinet and Slivko), Davidson, 1276
Mineralogiya rossypei (Mineralogy of placers) (Kukharenko), Davidson, 468
Mineralogiya vol'framitovykh mestorozhdenii vostochnogo Zabaikal'ya (Mineralogy of the wolframite deposits of Eastern Transbaikalia) (Barabanov), Davidson, 469
Minerals for the Chemical and Allied Industries, 2nd edit., (Johnstone), 843
Morphology of the earth (King), 999
The new world—1939–1946—volume I of a history of the U.S. Atomic Energy Commission (Hewlett and Anderson), 1154
Ore deposits (economic type of metallic mineral deposits) (Magak'yan), Alexandrov, 1152
Ore microscopy (Cameron), 284
Osnounye cherty geologicheskogo stroeniya i Metallonosnosti Chukotki (The basic outlines of the geological structure and metal content of Chukotka) (Lugov), Davidson, 1275
Petrology (Huang), 1277
Photogeology Miller and Miller), 470
Physics and chemistry of the earth (Ahrens, Press, Rankama and Runcorn), 127
Researches on meteorites, (Moore), 844
Soviet power (Hodgkins), 126
Symposium on chrome ore, held in Ankara, Turkey in 1960 (CENTO), 470
Theoretical geomorphology, (Scheidegger), 843
The trace-element content of fertilizers (Swaine), Fleischer, 986
Ultraosnovnye i osnovnye intrusii Pechengi (Ultrabasic and basic intrusions of Pechenga) (Eliseev, et al.), Davidson, 277
Vernadskii (Gumilevskii), Davidson, 638

Reviews—Continued
Voprosy Geokhronologii i Geologii (Contributions to geochronology and geology) (Polkanov, ed.), Davidson, 638
Voprosy Rudnoi Geofiziki (Problems of ore geophysics), Davidson, 1275
Reviews of Russian periodicals—
Geologiya Rudnykh Mestorozhdenii (Geology of Ore Deposits), Alexandrov
Academician Strashimir Dimitrov, (Shipulin), 842
Age of gold mineralization in the northeast of the USSR (Rirsov), 122
Analysis of the method of prospecting for high grade iron ores in Krivoi Rog (Dzhezdalov), 1274
Association of cassiterite sulfide and mercury mineralization with igneous rocks in the Terrei region (Maritime Territory, far East) (Chainikov), 997
Basic problems of formation of zones of weathering and importance of these zones during prospecting for mineral deposits (Ginzburg), 1271
Beryl-fluorspar-muscovite type of mineralization (Rundkvist and Chistyakov), 121
Breccia pipes of Aktyuz or field (Nevsky), 123
Chalcopyrite-millerite ores of the Noril'sk-I-deposits (Godlevsky, et al.), 840
Comparative study of ore deposits during metallogenetic studies (Shcheglov), 463
Compilation of large-scale metallogenetic maps and maps of prospective areas for mineral deposits (Kravchenko), 124
Composition and structural features of pisolites from mesozoic bauxites of the Kustanai region (Kuzemkina), 283
Conditions of formation of some ribbon structures of ores (Strona), 282
Conditions of formation of some tin deposits in northeastern Yakutia (Nekrasov), 1142
Conditions of formation of talc and talcose rock deposits (Romanovich), 466
Conditions of the formation of umohoite in the uranium-molybdenum deposits of the USSR (Skvortsova, et al.), 1272
Conference on methods of preparing metallogenetic maps of nickeliferous zones of weathering and maps indicating potential nickeliferous zones in the areas occupied by ultrabasic rocks (Andrushchenko), 468

Reviews of Russian periodicals—Continued
Conference on the problem of hydrothermal processes and mineralization in the regions of active volcanism (Naboko), 467
Conference on prospecting for nickel deposits associated with the zone of weathering (Andryushchenko), 1150
Contact-metasomatic boron deposits in magnesian skarns (Shabynin), 1141
Controversial problems of the genesis of sulfide deposits (Vol'Fson), 1274
Coordination of studies on endogenetic metallogeny (Pavlov), 125
Criticism of the unilateral approach to the solution of problems of the genesis of copper sulfide deposits (Ozerov), 467
Discussion of the book, Main problems and methods in study of structure of ore fields and ore deposits (Kazhdan), 992
Discussion of a paper by L. S. Borodin (Volotovskaya and Il'insky), 992
Discussion of a paper by Yu. V. Kazitsyn and G. V. Aleksandrov, *The metasomatic zoning during argillitization of granite-porphyries near the ore bodies* (Volostnykh, et al.), 842
Dissociation and redeposition of molybdenite during the process of microclinization at the Pervomaiskoye deposit (Malinovsky), 281
Distribution of upper mesozoic granitoid intrusions and outlines of ore-bearing areas in the Pacific ore-bearing belt (Kazansky), 1145
The Ebir-Khainskii intrusion and features of affiliated mineralization (Gavrikov and Danilogorskii), 1148
Effect of enclosing rocks on the distribution of barium feldspars and barite in deposits of the Irtysh thrusted zone (Naumov), 283
Effect of tectonic and lithological factors on localization of hydrothermal uranium mineralization in Erz Gebirge (Yanishevsky, et al.), 839
Experience with prognosis of concealed structures controlling mineralization in the Koitash ore field (Shikhin), 1273
Experimental data on the behavior of lead, zinc, copper, and iron sulfides in colloidal solutions at high temperatures (Lopatina, et al.), 465
Experimental study of PbS and ZnS formation from aqueous solutions of chlorides (Kuzmina), 990
Ferruquinous formation and iron deposits of the Belozerskoye region in the lower reaches of the Dnieper River (Dobrokhotov, et al.), 838

Reviews of Russian periodicals—Continued
Field trip through the mineral deposits of southern and central Norway during the XXI session of the International Geological Congress (Chukhrov), 992
Fine acicular cassiterite from the southern Maritime region (Petrun), 1149
First All-Union Conference on the geology and metallogeny of the Pacific ore-bearing belt (Itsikson), 992
First metallogenetic map of the USSR (Shatalov), 124
Formation of deposits of rare metals in central Kazakhstan (Smirnov), 998
Geological structure and mineral composition of ores of the Lespromkhoznoye deposit in Gornaya Shoriya (Sinyakov), 1147
Halos of dispersion of elements around uranium ore bodies (Kablukov and Vertepov), 120
High mercury content in faulted zones of some sulfide deposits (Ozerova), 283
O. M. Levifsky (obituary) (Betekhtin), 993
The manganese deposit of Inqulets (Shnyukov), 998
Magnesian skarns in the Teya deposit (Komarov), 998
Main structural features of Severnyi Kantau in the Kansai ore field (Titov and Babenko), 997
Method of determining minerals in small grains of ores (Genkin and Korolev), 1273
In memoriam of academician I. F. Grigor'yev (Betekhtin), 842
Measurement of reflecting capacity dispersion of ore minerals (Rakcheyev), 284
The metallogenic zone of Krivoi Rog-Kremenchug (Belevtsev, et al.), 837
Metamorphism of sulfide ores in the Levikha deposit (middle Urals) at the contacts with dike of augite porphyry (Loginov), 281
Metasomatic perovskite from pyroxenites of Vuoriyarvi (Borodin), 1150
Method of manufacturing fine-grained abrasives for preparation of polished sections (Petrova), 1145
Migration of cobalt in the zone of oxidation of sulfarsenide deposits (Bazhenov), 283
Mineral associations and some conditions of formation of copper sulfide deposits in the southern Urals (Petrovskaya), 994

Reviews of Russian periodicals—Continued
Minor intrusions in the interfluve region between the Kumir and Korgon rivers and associated mineralization (Prokoptsev, et al.), 841
D. F. Murashov (Barkanov, et al.), 1150
New data on granitoid bodies of rhythmically banded structure (Povilaitis), 1271
New type of beryllium mineralization (Nekrasov), 121
V. A. Nikolayev (Betekhtin), 1150
Occurrence of apatite in copper-nickel sulfide ores of the Noril'sk deposit (Genkin, Vasil'yeva, and Yakovlevskaya), 997
Occurrence of gold in Precambrian conglomerates of the Argun River basin (Knyazev), 1144
Origin of the Anzas abitites (Pavlov), 1147
Papers presented by Krauskopf (Ryabchikov), 1145
Phenomena of feldspathization in the ore field of the Kuu granite massif (Central Kazakhstan) (Povilaitis), 996
Phenomena of the hypogene replacement of minerals in cassiterite-sulfide ores (Ivanov), 466
Phosphorites of the Shmidt Peninsula (Sakhalin) (Brodskaya), 989
Platinum deposits in the Aldan shield (Rozhkov and Kitsul), 466
Porosity of rocks as a factor in ore deposition (Korolev et al.), 841
Porosity of rocks and its role in the localization of endogenetic mineralization (Rozanov), 995
Possible contribution of silicified diabases and hybride-type diorites to the formation of magnetite ores of the Malyi Kuibas Mountain (Kaminskaya), 282
Primary anglesite-bearing ores from the lead zinc deposit of Madzharovo (Atanasov, et al.), 467
Principal features of the geology and genesis of fluorspar deposits of western Transbaikal region (Shcheglov), 1143
Principal features of metallogeny in the Ulakhan Sis Range in southeastern Yakutia (Nekrasov and Yablokov), 996
The problem of determining the age of copper sulfide deposits of the Urals (Loginov and Shadlun), 1145
The problem of prospecting for blind copper sulfide and copper-molybdenum ore bodies in the Minor Caucasus (Mkrtchyan), 464
Reviews of Russian periodicals—Continued
The problem of regularities in the distribution of chalcopyrite deposits in Northern Caucasus (Skripchenko), 120
Problems of genesis of ore deposits and some related subjects discussed at the XXI Session of the International Geological Congress (Sokolov, et al.), 842
Reference book on minerals, review (Godlevsky), 1145
Regularities in the distribution of deposits of magnesian silicates (Smolin), 998
Relation between ore formations in some regions of the Pacific ore-bearing belt (Tomson and Konstantinov), 1148
Remarks on article by N. S. Skripchenko, *Problem of regularities in distribution of chalcopyrite deposits in the northern Caucasus,* (Dryzhak, et al.), 842
Replacement of sulfide ores by quartz in the Novo-Pokrovskoye deposit (Chitayeva), 841
Replacement of wolframite and some sulfides by late molybdenite in the Bukuka deposit (Druzhinin), 1149
Secondary mineralization in the bauxite series in the zone of weathering of the Turgai and North Kazakhstan deposits (Lisitsyna and Pastukhova), 989
Session dedicated to the regularities in distribution of copper sulfide and porphyry copper deposits (Borodayevskaya and Shmidt), 468
Sixtieth birthday of academician N. M. Strakhov (Betekhtin and Sapozhnikov), 279
Skarn-like formations in the Zyryanovskoye ore field in the Attai Mountains (Lyan-Gui), 467
Some features of the formation of various generations of pitch-blende (Mel'nikov), 1141
Some features of geological structure of iron deposit of Rudabanya in Hungary (Panto), 838
Some features of the morphology and structure of quartz-wolframite veins in the Central Urals (Rundkvist), 991
Some features of ore-bearing skarn formation in dolomites within contact zones (Shabynin), 988
Some features of the spodumene pegmatites emplaced in carbonate rocks (Ginzburg, Volzhenkova, and Polkunov), 990

Reviews of Russian periodicals—Continued
Some features of the structural control of exogenous uranium mineralization in sedimentary and tuffaceous rocks (Golovin, Kantsel, and Shumilin), 998
Some morphological types of ore bodies in Karamazar (Korolev), 1149
Some ore deposits in the United States (Smirnov), 1149
Some problems of endogenetic mineralization and trends of further investigation (Sokolov), 1270
Some problems of geological science (Betekhtin, Korzhinsky, Shatlov, Shipulin), 123
Some regularities in formation of fluorspar deposits of the Chatkal'skii and Kuraminskii ore-bearing regions (Grushkin), 992
Some structural features of the localization of calcic skarns (Chernyshev), 1143
Some structural problems of the copper sulfide deposit of Gai (Borodayevskaya and Perizhnyak), 993
Specific features of the ore field of Zmeinogorsk (Rudnyi Altai), (Vydrin, et al.), 839
Structural conditions of localization of gold mineralization in the Tsentral'noye deposit (Rozanova), 122
Structural factor in the formation of various types of quartz-wolframite deposits (Malinovsky), 1144
Structural features of lead-zinc deposits in Karamazar (Nekrasov), 124
The structure of the volcanic series of the Gai ore-bearing field and distribution of sulfide mineralization (Skripil), 991
Study of the structure of endogenous ore deposits (Pek, et al.), 463
Sulfates in ores of endogenetic deposits (Badalov), 123
Symposium on study of regularities in distribution of placers (Rusanov), 124
Theory of contact metamorphic processes (Shipulin), 279
Titaniferous deposits of the Poltava stage in the central part of the Dnieper-Donets depression (Romanov), 1144
Upper paleozoic gold mineralization in the vicinity of Tomsk (Kuz'min), 998
Veinlike and breccialike forms of mineralization independent of fractures (Pospelov, Kaushanskaya, and Lapin), 995
Reviews of Russian periodicals—Continued
Xenoliths of magnetite ore in dikes of the Tel'bes deposit (Yaroshinsky), 1144
The youngest lead deposits of the central Tien-Shan Mountains (Luik), 280
Rhoden, H. N., on pyrrhotite alteration in Ireland, 1165
Rhodesian copper belt, origin (discussion), 629
Rhodochrosite, Brazil, 490
Rhyolite flows at Spanish pyrite deposits, 1074
massive and thin bedded, Newfoundland, 1262
tuff, 1263
Rhyolitic fragmental agglomerate, 1264
Rich, E. I., on Al hydrolysis in soils, 1212
on chlosite in soil, 1215
Richardson, F. D., Jeffes, J. H. E., and Withers, G., on PbS solubilities, 821
Richardson, K. A., and Rogers, J. J. W., with Adams, J. A. S., abstract SEG meeting, 1009
Richter, G., on Kapfer shiefer, 363
Riley, G. A., on copper in sea water, 267
Rinse, J., on metal sulfide reactions, 1022
Ritchie, A. S., *The identification of metal ions in ore minerals by paper chromatography. Part 1. Opaque ore minerals*, 238–248
Robertson, D. S., *Thorium and uranium variations in the Blind River ores*, 1175–1184
and Steenland, N. C., on Blind River, Ontario, 1178
Rock fragments, iron oolite, 928
Rock types sampled for beryllium, 905
used in leaching experiments, 1204
Roedder, E., *Studies of fluid inclusions. I: Low temperature application of a dual purpose freezing and heating stage*, 1045–1061
Rogers, J. J. W., and Richardson, K. A., with Adams, J. A. S., abstract SEG meeting, 1009
Romberger, S. B., with Barnes, H. L., abstract SEG meeting, 1017
Romieux, J., on Iranian orogenesis, 958
Roscoe, S. M., abstract SEG meetings, 1010
and Steacy, H. R., on Blind River, Canada, 1177
Roscoilite, 159
Rosenqvist, T., on sulfur, 74
Roy, C. J., on silica in solution, 871
Roy, Surpriya, *Study of the metamorphic manganese ores of Bharweli mine-area, Madhya Pradesh, India, and their genesis*, 195–208
Ruiz, Carlos F., and Ericksen, George E., *Metallogenetic provinces of Chile, S. A.*, 91–106

Runcorn, S. K., review of book by, 127
Rust, G. W., on pyrite spheres, 351
Rutherfordine, 143
Rutile, 381
  in manganese nodules, 751

Sakai, H., on sulfur isotopes, 574
Sales, R. H., discussion of paper by, 629
  Hydrothermal versus syngenetic theories of ore deposition, 721–734
  and Meyer, C., on hydrothermal alteration, 777
  on sulphide zoning experiments, 36
Salt, Ecuador, 807
Sample, locations, Clear Hills iron oolite, Alberta, 924
Sampling, geochemical, tidal flats, 405
Sand, L. B., Regis, A. J., with Ehlmann, A. J., *Occurrences of sepiolite in Utah and Nevada*, 1085–1094
Sandberger, F., lateral secretion theory, 270
Sandell, E. B., on colorimetric analysis, 1189
Sarker, S. N., and Saha, A. K., on Indian stratigraphy, 55
Sasaki, A., on pyrite thermoelectricity, 579
Satteraly, J., on carbonatization, 1239
Schaller, W. T., and Nolan, T. B., on spadaite, 1088
Schaller, W. T., and Vlisidis, A. C., *Ludwigite from the Read magnetite deposit, Stevens County, Washington*, 950–953
Schielite, 542
  Chile, 102
Scheidegger, A. E., review of book by, 843
Schmalz, R. F., on goethite, 177
Schmedeman, O. C., on bauxite grain size, 830
Schmidt, E. R., and Vermaas, F. H. S., on magnetite oxidation, 260
Schmidt, Richard A., *Temperatures of mineral formation in Miami-Picher district as indicated by liquid inclusions*, 1
Schneiderhöhn, H., on pyrite spheres, 351 ff
Schoeller, H., review of book by, 1155
Schoepite, 139
Schofield, R. K., on acid mineral soils, 1207
Schouten, C., on carbon on sulfides, 460
  on pyrite spheres, 351 ff
Schultz, O., on ore genesis, 116
Schwartz, G. M., on hypogene kaolinite, 775
Scott, H. S., on inclusion thermometry, 2
Searchlight stock, Nevada, spectrography, 1062
Seasonal variations in copper content in some Andean streams of central Chile (de Grys), 1031
Section, columnar, lithology, oolite, Clear Hills, Alberta, 924
  geologic, Blind River, Canada, 1177
  Chañarcillo dome, Chile, 1253
Section—*Continued*
  jasperoid related to ore deposition, 886
  Munro ultrabasic sill, 1230
  Quirke-Denison, Blind River, Canada, 1178
  gossans, 175
  Highland-Surprise mine, sulfide crystallization temperatures, 1164
  location and composition, pyrrhotite, Japan, 974, 976
  manganese ore bodies, Brazil, 492, 493
  ore, Illinois fluorspar district, 514, 516, 521, 523, 524, 529, 532, 533
  Ore Knob mine, North Carolina, 1117
  pegmatite zoning, 1101
  solution movement, Illinois fluorspar district, 510, 516
  stratigraphic, sphalerite area western Kansas, 552
  structural, Caracoles tin veins, Bolivia, 539
  structural, Illinois fluorspar district, 510, 514, 516, 521, 523, 524, 527, 529, 531, 532, 533
  and plan, relation migmatization to deformation, Singhbhum shear zone, India, 58
Sedimentary ore deposits, Chile, 104
  rocks, Chañarcillo silver district, Chile, 1248
S.E.G. symposium on chemical weathering with emphasis on laterization, in three parts, 1185, 1207, 1219
Segerstrom, K., *Regional geology of the Chañarcillo silver mining district and adjacent areas, Chile*, 1247
Selenium indicator plants, Cachimayoc breccia pipe, Peru, 918
Selfridge, G. C., on serpentines, 1243
Selleck, F. T., on H_2S solubility, 300
Senetle, F. E., and Bracken, J. T., on isotope transfer during alteration, 794
Sepiolite in Utah and Nevada, occurrences of (Ehlmann, Sand, and Regis), 1085
Serecite subzone, argillic facies, 771
Serpentine diapirs, chromite bearing, 959
  group stability relations, 1243
  minerals, 1232
Serpentinization and chrysotile formation in the Matheson ultrabasic belt, northern Ontario (Grubb), 1228
  and steatization, 1239
Shakhov, F. N., review of book by, 278
Sharp, W. N., on alkali in Wyoming well water, 152
Shatskii, N. S., review of book edited by, 278
Shear zone, south of Tatanagar, Bihar, India, cross folding, migmatization and ore localization along part of the Singhbhum (Banerji), 50–71

Shedd, S., et al., on mineralogy of a magnetite deposit, 943
Shenon, P. J., *Economic geology today and tomorrow*, 659–672
and McConnel, R. H., on Coeur d'Alene, 297
Shields, L. D., and Kennedy, G. C., with Dickson, F. W., *A method for the determination of equilibrium sulfur pressures of metal sulfide reactions*, 1021–1030
Shima, M., Dunford, H. B., with Thode, H. G., *Sulfur isotope abundances in rocks of the Sudbury district and their geological significance*, 565–578
Shrivastava, J. N., and Proctor, P. D., *Trace element distribution in the Searchlight, Nevada quartz monzonite stock*, 1062–1070
Shukla, K. D., and Anandalwar, M. A., on manganese deposits, 195
Siegel, W., on ore genesis, 116
on pyrite sphere, 360
Silica, Ecuador, 806
solubility, effect of dissolved constituents, 871
effect of pH, 868
experimental and theoretical data, 882
in H_2O-CO_2, 593
at high T and P, 865
at low temperatures, 864
in solution, form of, 870
solutions, nature of, 864
source of, for jasperoids, 863
Silication, 309
Silicification, 309
Illinois fluorspar district, 530
Silver deposits, Chile, 103
in alteration zones, 791
Ecuador, 804
geology of the Chañarcillo district, Chile (Segerstrom), 1247
resources, potential, Chañarcillos, district, Chile, 1259
Silverman, A., Wehrenberg, J. P., and Behre, C. H., Jr., abstract SEG meeting, 1013
Silverman, S. R., on oxygen isotopes, 572
Sims, P. K., on N. J. magnetite, 440
Size and shape, pegmatites bearing Nb and Ta, 391
Skin or fragmental top ratios in a rhyolite succession, 1264
Skinner, B. J., on sphalerite geothermometer, 1173
Slawson, W. F., and Austin, C. F., *A lead isotope study defines a geological structure*, 21
Smith, F. G., on silica solubility, 821
on sulphide zoning experiments, 36
on thermoelectricity of pyrite, 579
Smith, W. S. T., on intrusive in Wyoming, 1113
Snelgrove, A. K., Ludeman, F. L., with Spain, J. D., *The use of precipitation chromatography in geochemical prospecting; mineral identification with disposable agar gel columns*, 248–259
Solubility of PbS in H_2S-water solutions (Anderson), 809
of metals in H_2S saturation solutions, 301
of silica, discussed, 864
Solution phenomena, Illinois fluorspar district, 525
Solutions, ore deposition from, 299
silica bearing, nature of, 864
Sorby, H. C., on fluid inclusions, 1047
Sorensen, H., on pyroxenite dikes, 1239
Sousa Machado, F. J., on carbonatites, 387
Sövite, 382, 1133
Spain, Huelva district deposits, 1072
Spain, Huelva district, observations on the pyrite deposits and their relation to volcanism (Kinkel), 1071
Spain, J. D., Ludeman, F. L., and Snelgrove, A. K., *The use of precipitation chromatography in geochemical prospecting; mineral identification with disposable agar gel columns*, 248–259
Spectrographic analysis of pegmatite microcline, 1108
study, lichen ash (communication), 107
Spectrography, Searchlight stock, Nevada, 1067
Speise, 350
Spencer, A. C., on jasperoid, 876
Spezia, G., on fluid inclusions, 1047
Sphalerite, 2, 8, 13, 540, 971
Broken Hill, 218
crystallization temperature, 1163
deep lying, magnetic anomalies, Kansas, 562
Illinois fluorspar district, 504
mineralization in deep lying dolomites of Upper Arbuckle age, west central Kansas (Evans), 548
supergene, 218
Spurr, J. E., on jasperoid, 862
on jasperoid and chert, 875, 880
on zoning, 30
Stannous chloride in paper chromatography, 243
Stanton, R. L., on classification of ore deposits, 898
on exhalative sulfide ores, 1078
on pyrite, 85
on pyrite reflectivity, 329
on sulfur isotopes, 220
Stanton's classification applied to Norwegian sulfides, 898
Stereographic projection solution, simplified, of the two drillhole problem (Addie), 1122
Sterling, P. J., and Stone, C. G., on nickel in Arkansas, 454
and Renfroe, C. A., communication by, 453

Stickney, A. W., on gossans, 175
Stille, H., on Alpine orogenesis, 956, 961
Stoehr, E., on origin of copper veins, 66
Stoiber, R. E., abstract SEG meeting, 1012
on mineralizing solutions, 18
Stoll, W. C., *A contribution to the geology of the Caracoles tin and tungsten mines, Bolivia*, 536–547
Notes on the mineral resources of Ecuador, 799–808
Strahl, E. O., on pyrite in shales, 266
Strakhov, N. M., on Black Sea muds, 265
Strata-bound sulfide ore deposits, 265
Stratigraphic columns, Illinois fluorspar ore horizons, 502
columns, northern Chile silver district, 1250
control, manganese ore, Brazil, 494
sections, Miami-Picher district, 4
Stratigraphy, area of sphalerite mineralization, western Kansas, 550
Illinois fluorspar district, 500
Strøm, K. M., on fjords, 362
Strontium in alteration zones, 793
Structural control, manganese ore, Brazil, 494
of ore localization, Singhbhum shear zone, India, 68
interpretation, tin veins, Bolivia, 542
Structure, Cachimayoc breccia pipe, Peru, 912
central Amapa, Brazil, 486
Chañarcillos silver district, Chile, 1253
Haystack range, Wyoming, 1097
Illinois fluorspar district, 509
Kolar gold field, 262
a lead isotope study defines a geological (Slawson and Austin), 21
manganese deposits, Bharweli, India, 196
Matheson ultra basic belt, Ontario, 1229
of Newfoundland copper belt, 1265
Nb and Ta deposits in granites, 389
Singhbhum shear zone, India, 56
sphalerite area, western Kansas, 556
Strutt, R. J., in helium age determinations, 735
Studies of fluid inclusions I: low temperature application of a dual purpose freezing and heating stage (Roedder), 1045
Study of the metamorphic manganese ores of Bharweli mine-area, Madhya Pradesh, India, and their genesis (Roy), 195–208
Stumpfl, E. F., communication by, 619
Sudo, T., Kurado, R., with Ishikawa, H., *Minor elements in some altered zones of "Kuroko" (black ore) deposits in Japan*, 785–798
Sulfides, 1232
Sulfide, biogenic primary, of the Permian Kupferschiefer and Marl Slate (Love), 350
Sulfide—Continued
complexes in ore transport, 33
in zoning, 33
microspheres, 353
ore bodies of the Caledonides of Norway, mineral parageneses of (Vokes), 890
reactions, a method for the determination of equilibrium sulfur pressures of metal (Dickson, Shields, and Kennedy), 1021
Sulfur, Ecuador, 806
isotope abundances in rocks of the Sudbury district and their geological significance (Thode, Dunford, and Shima), 565
isotopes, hydrothermal deposits, Sudbury basin, 572
distribution in sulfides and sulfates from Broken Hill South, New South Wales (Lawrence and Rafter), 217–225
Sullivan, C. J., on origin of copper veins, 66
on origin of ore by migmatization, 69
Supergene galena and sphalerite, 218
Surface chemistry of silicates, 1219
Swaine, D. J., review of book by, 986
Syngenetic origin of Rhodesian copper belt, criteria, 630
Syenite, cancrinite, 38
Syngenetic ore deposits, modern deposition, 405
origin of the Blind River, Ontario, deposits, 1183
sulfide, 265
theories of ore deposition, versus hydrothermal (Sales), 721
theory, origin Rhodesian copperbelt, 723
Synorogenic sulphides, 894
Synthesis, *formation of bornite at atmospheric temperature and pressure* (Cuthbert), 38
Syromyatnikov, F. V., in silica solubility, 866
System, NaCl-H_2O, 1059
Systems Cu-S and Fe-S work compared, 1025

Table, ages, Cornwall and Palisades sill, 741
analyses for age dating, Cornwall, Penn., samples, 741
analyses, Be and Nb in muscovites, 617
black shales, India, 615
dolomitic samples, Illinois fluorspar district, 504
fluorite ore, gangue, and host rock, Illinois fluorite, 519, 520, 526, 528, 530
of lichens (communication), 109
ludwigite, 952
rhodocrosite, 491
sepiolite, 1089
spectrographic, pyrite, Tasmania, 584
spessartite garnet, 490

Table—*Continued*
of ultrabasic rocks, Ontario, 1240
assay composites, Blind River, Ontario, 1181, 1182
data, Blind River, Ontario, 1178, 1179
bentonite decomposition, 1210
bornite synthesis results, 39
carbonatites reserves of Nb, 386
chemical composition, oolitic ironstone, 932
of pyrrhotite, 973
chromatographic gel colmns, color bands, 252–253
chromatography precipitation, minerals, 256
precision and accuracy, 254, 255
columbite-tantalite in zones, 392
columbium and tantalum deposits, 380
comparison pegmatites, granitic and metamorphic rocks, 1102
refractive index determination by reflectance and refraction, 47
solution and gas transport, 302
composition of hot spring, 872
Maipo River, Chile, 1040
crystallization temperatures, Highland-Surprise, Idaho, 1166, 1167
data for the pyrrhotite solvus, 80
pyrrhotite solvus at 1,000 and 2,000 bars, 84
diffusion factors, 797
effect Co and Cu on Ni determination, 597
equilibrium data, pyrhotite and pyrite, 77
sulfur pressures, 1026
exchange and fixed ammonium on feldspar surfaces, 1221
experimental data PbS solubility, 825
exsolution data for pyrrhotite, 80
ferrides in wall rocks, 441
free energies, rock minerals, 1193
geologic events, Matheson ultrabasic belt, Ontario, 1229
geologists employed by federal agencies, 670
gold analysis, Yellowknife rocks, 1139
gossans, indigenous types, Minas Carlota, Cuba, 172
phosphorus and chlorine, 180
x-ray and spectrographic analysis, 180
government pay scales, 666
inclusion temperatures, Miami-Picher district, 8, 11, 12, 15
index elements, prospecting for "Kuroko" deposits, 794
infrared absorption maxima, sepiolite, 1091
isotopic values, sulfur, Broken Hill, 222, 223
known lead determinations, 815
leachate analyses, rock leaching experiments, 1191, 1193
Table—*Continued*
lead isotopes, New Mexico, 28
ratios leading ore deposits, 675, 676, 677, 682, 683, 684, 685, 686, 687, 688, 689, 690, 692, 693, 695, 711, 714
ore deposits, contaminated, 703, 705, 707
sample localities, 22
manganese deposits, India, 196
minerals, Bharweli, India, 199–205
microcharacteristics, 198
x-ray data, 199
nodule analyses, 761, 762
metal content, Chilean rivers, 1038
production, Chile, 1959, 92
microcline, composition, 1099
spectrography, 1109
mineral distribution, oolitic ironstone, 933
properties in zoning sequence, 31
minor elements in Japanese "Kuroko" alteration zones, 791
modal analyses of ultrabasic, 1233
nickel in soil, Copper King mine, Colorado, 602
nickel tests methods compared, 599
optical properties of antigorite, 1233
optical properties of pyroxene, 1232
ore deposits, persistence related to environment, 298
shoots, Caracoles, Bolivia, 545
paper chromatography reactions, 241–243
R_f values, 244
paragenesis, manganese minerals, Bahrweli, India, 105
Nb-Ta deposits, 394
partial pressures at high pressure, 299
of metallic gasses, 300
pH and hydrolysis of bentonite, 1213, 1214
phosphate analyses, 1082
placer mineral associations, 399
hardness times specific gravity, 397
transportability, 398
points on the pyrrhotite solvus, 80
production Caracoles tin, Bolivia, 537
pyrite cell dimensions, 1,000 and 2,000 bars, 84
in shales, 266
crystallization temperatures of some natural, 85
pyrrhotite *d* spacing as a function of composition, 76
rainfall data, central Chile, 1034
reflectivity of minerals, 332–337
of standards, 330
replacement and deposition, $CaCO_3$ from solution, 306
rhyolite flow skin ratios, 1265
silica solubility, 866
size of deposits, Nb and Ta, 402
solubilities H_2S and metal sulfides, 301
solubility products PbS, 810, 811

Table—*Continued*
spectral reflectivity of standards, 330
spectrographic analyses, pyrhotite, sphalerite, pyrite and galena, 1168
spectrographic analysis, pegmatite wall rocks, 1128
stratigraphic, Mesozoic, south east, Utah, 228
stratigraphy, Amapa, Brazil, 485
Singhbhum, India, 55
western Kansas, 550
sulfur isotopes, Sudbury rocks and ores, 568, 569, 570
temperature of formation Norwegian sphalerites, 893, 894
tests of analytical procedure for Pb, 816
textural elements, oolitic iron, Alberta, 926
trace elements, pyrrhotite, pyrite, sphalerite, 1169
ferrides, associated with magnetite, 442
difference of means, 446
log normal deviations, 447
vein attitudes, Caracoles, Bolivia, 544
water wells, India, 371, 372, 373
x-ray data, sepiolite, 1090
Talc, 1232
-carbonate rocks, 1236
Tamura, T., and Jackson, M. L., on clay distortions, 1187
Tantalum and columbium deposits, classification of, 378
Tantalum and columbium (niobium), the economic geology of (Dekun), 377
Tapiolite, 381
Tarai and Bhabar zones of India along the Himalayan foothills as potential groundwater reservoirs (Mehta and Adyalkar), 367
Tarr, W. A., on jasperoid, 877
Tasmania, thermoelectricity and resistivity of pyrite from Renison Bell and Mt. Bischoff (Hill and Green), 579
Taupitz, K. C., on ore genesis, 116
Taylor, H. P., on oxygen isotopes, 572
Tchernov, V. A., on acid mineral soils, 1207
on H-saturated clay preparation, 1208
Technique, analyses for lead, precision and accuracy, 816
analysis in PbS solubility determinations, 813
analytic error, geothermometry, 16
available nickel procedure, 599
chromatography, paper, opaque ore minerals, 238–248
precipitation, mineral identification, 248–259
colorimetric field test for nickel, 597
dimethylglyoxine, test for nickel, 597
drilling water wells in India, 370
experimental, metal sulfide equilibrium reactions, 1024
Technique—*Continued*
fluid inclusion thermometry, 6
freezing and heating stage for microscopy, 1045
gel columns, preparation, 250
samples analysed in, 251
gossan, porosity determination, 181
helium age determination, 739
identification of metal ions in ore minerals by paper chromatography. Part I. Opaque ore minerals, 238–248
isotope sample, preparation, 221
leaching of quartz free rocks, 1188
magnetic leaching in helium age determination, 739
manganese nodule analyses, x-ray fluorescence, 763
mass spectrometry sulfur, 567
microscope hot stage, 6
mineral preparation for spectrography, 1065
new microreflectometer, 42–49
nickel field test, 597
apparatus list, 604
oil adsorptive testing, 606
PbS solubility determination, 812
preparation, geothermometry samples, 6
pyrite sphere, preparation, 353
synthesis, 74
reagents in PbS solubility determination, 813
reflectivity measurement, 330
reflectometers, sensitivity and accuracy, 46
reflectance determination, 44
resistivity measurements on pyrite, 580
sampling and chemical analysis, tidal muds, 405
magnetite, 440
microcline in pegmatites, 1107
Sudbury rocks, sulfur isotopes, 566
SO_2 preparation, 567
spectrographic analysis of lichens (communication), 108
standard preparation, nickel colorimetric test, 598
standards in reflectance determination, 45
stereographic projection solution of the two drillhole problem (Addie), 1122
synthesis of bornite, 38
thermoelectrical measurements on pyrite, 580
total nickel procedure, 598
water and sediment sampling, 1035
x-ray determination Fe in pyrrhotite, 1167
fluorescence analyses, manganese nodules, 763
method, pyrrhotite measurement, 76
Tekstury rud (Structure of ores) (Shakhov), Davidson, 278

Temperature of crystallization of pyrrhotite and sphalerite from the Highland-Surprise mine, Coeur d'Alene district, Idaho (Arnold, Coleman and Fryklund), 1163
Temperatures of mineral formation in the Miami-Picher district as indicated by liquid inclusions (Schmidt), 1
Temple, A. K., and Grogan, R. M., abstract SEG meeting, 1008
Tenorite, 111
Texture, oolitic iron formation, Alberta, 935
Thayer, T. P., on chromite, 954
Thermal conditions near a vein, 587
  conduction, energy transfer by, 312
  geochronology, 593
Thermodynamics, alteration, 305
  of ore solutions, 298
  of silica-silicate rock alteration, 309
Thermoelectricity and resistivity of pyrite from Renison Bell and Mt. Bischoff, Tasmania (Hill and Green), 579
Thode, H. G., Dunford, H. B., and Shima, M., *Sulfur isotope abundances in rocks of the Sudbury district and their geological significance*, 565–578
Thomas, B. E., on pegmatites, 214
Thomason, J. E., on Sudbury rocks, 574
Thompson, G. A., on ore solutions, 32
Thompson, M. E., on uranium in phosphates, 1081
Thomson, J. E., on Sudbury origin, 571
  on Sudbury rocks, 573
Thorium and uranium variations in the Blind River ores (Robertson), 1175
  -uranium ratio variation, laterally, 1178
  vertically, 1177
Tilles, D., on silicon isotopes, 572
Tin mineralization in Bolivia and orogenic evolution, 978
  and orogenic evolution, Bolivia (communication) (Ljunggren), 978
  and tungsten mines, Bolivia, a contribution to the geology of the Caracoles (Stoll), 536
  in alteration zones, 792
  veins, Bolivia, described, 540
Topaz, 779
Topographic and climatic control manganese ore, Brazil, 494
Topography, Cachimayoc breccia pipe, Peru, 910
  central Chile, 1032
Toulmin, P., on sphalerite geothermometer, 1173
Tourmaline, 100, 1100
  cores of pegmatites, 1102
Trace element distribution in the Searchlight, Nevada quartz monzonite stock (Shrivastava and Proctor), 1062
  indicators, lichens used (communication), 107
Trace element distribution—Continued
  An investigation of minor element content of potash feldspar from pegmatites, Haystack Range, Wyoming (Carl), 1095
  minor elements in some altered zones of "Kuroko" (black ore) deposits in Japan (Ishikawa, Kuroda, and Sudo), 785
  sulphides, Highland-Surprise mine, Idaho, 1169
  ferrides, contacts, veinlets and webs, 442
  in the magnetite ores of the Mount Hope mine and the New Jersey Highlands (James and Dennen), 439
  massive ore, 444
  variations, New Jersey highlands, 444
Transportation and precipitation of uranium and vanadium at low temperatures, with special reference to sandstone-type uranium deposits (Hostetler and Garrels), 137–167
Trushkova, N. N., and Kukharenko, A. A., review of book by, 468
Tsusue, A., *Genetic considerations of magnetite and pyrrhotite in pyritic deposits, Yanahara district, southwestern Japan*, 969–977
Tungsten, Chile, 102
Tungsten mines, Bolivia, a contribution to the geology of the Caracoles tin and (Stoll), 536
Turkey, the metallogeny of the chromite deposits of the Guleman district (Helke), 954
  Sori Dagi chromites, 959
Turneaure, F. S., and Welker, K. K., on Andean vein attitudes, 543
Turner, H. W., on gossans, 189
Tyuyamunite, 154

Ultrabasic belt, Matheson, northern Ontario, chrysotile formation and serpentinization in (Grubb), 1228
  modal analyses, 1233
  sills, 1229
Ultrabasics, as sources of columbium and tantalum, 381
Umpleby, J. B., and Jones, E. L., Jr., on Coeur d'Alene veins, 1104
Unbuffered immersion rock leaching tests, 1189
Uniformitarianism and lead isotopes, 714
U-O_2-H_2O system, 139
U-O_2-H_2O-CO_2 system, 142
Upper Mississippi Valley zinc-lead district, 2
Uraniferous mineral veins, Singhbhum shear zone, India, 67
Uraninite, 139
Uranium content of marine phosphates and other rock constituents, correlation between (Habashi), 1081

Uranium—Continued
deposits, transportation and precipitation of uranium and vanadium at low temperatures, with special reference to sandstone-type (Hostetler and Garrels), 137–167
and thorium location of in minerals, 736
variations in the Blind River ores (Robertson), 1175
-vanadium deposits in Montezuma canyon, Utah, diffusion features of (Huff and Lesure), 226–236
Uranyl carbonates, 143
Utah, Beaver sepiolite, 1088
Bingham canyon, as nonpersistent, 296
Cane Springs, sepiolite, 1088
diffusion features of uranium-vanadium deposits in Montezuma canyon (Huff and Lesure), 226–236
East Tintic, as nonpersistent, 296
Maxfield mine, sepiolite, 1086
and Nevada, occurrences of sepiolite in (Ehlmann, Sand, and Regis), 1085
U-V-K-O_2-H_2O-C_2O system, 149

Vanadium in alteration zones, 793
silicates, and coffinite, formation of, 158
van der Kaaden, G., and Metz, K., on chromite, 955
van Lier, J. A., on quartz solubility, 1188
Vasil'ev, V. G., review of book by, 987
Vein deposit formation, mechanism and duration of (Laffitte), 587
replacement type, composition, 308
Veins, heat loss in, 313, 314
thermal conditions near, 587
Verhoogen, J., on mineral solubility, 17
Vinogradov, A. P., on sulfur isotopes, 572
Dontsova, E. I., and Chupakhim, M. S., on oxygen isotopes, 572
Violarite, in calcite vein, Arkansas, 453
Vlassov, C., on pegmatite shape, 392
Vlisidis, A. C., with Schaller, W. T., *Ludwigite from the Read magnetite deposit, Stevens county, Washington*, 950–953
V-O_2-H_2O system, 147
Voitkevich, G. V., review by, 987
Vokes, F. M., discussion by, 274
Mineral parageneses of the massive sulfide ore bodies of the Caledonides of Norway, 890–903
Volborth, A., *Allanite pegmatites, Red Rock, Nevada compared with allanite pegmatites in southern Nevada and California*, 209–216
Volcanic rocks, Chañarcillo silver district, Chile, 1248
distribution of beryllium in unaltered silicic, of the western conterminous United States (Coats, Barnett, and Conklin), 963
von Buttlar, H., and Houtermans, F. G., on manganese nodule, rate of formation, 753
von Eckermann, H., discussion by, 1133

Walker, T. R., on calcite solubility, 886
Washington, ludwigite from the Read magnetite deposit, Stevens county (Schaller and Vlisidis), 950
southwestern Stevens county, mineralogy and geochemistry of the Read magnetite deposit (Bennett), 941
Wasjucnowa, K., on sulfide metal equilibrium, 1022
Waterman, G. C., *Some chemical aspects of bauxite genesis in Jamaica*, 829–830
Weathering, central Amapa, Brazil, 487
Weeks, A. D., and Eagle, D. H., abstract SEG meeting, 1010
Wehrenberg, J. P., and Behre, C. H., Jr., with Silverman, A., abstract SEG meeting, 1013
Weidman, S., on depth of mineralization, 17
on jasperoid, 877
Weis, P. L., on fluid inclusions, 1047
Weiss, L. E., on quartz orientation, 61
White, D. E., on ore deposition, 116
et al., on silica in hot springs, 865, 866, 875, 883
White, W. H., and Northcote, K. E., *Distribution of metals in a modern marine environment*, 405–409
Whitehead, W. L., on veins of Chañarcillo, 1255
Whitney, J. D., lateral secretion theory, 270
Whittaker, E. J. W., and Zussman, J., on lizardite, 1231
Williams, C. E., on sōvite, rauhaugite and phonolite-trachyte, 387
Williams, D., on gossans, 178
on Spanish pyrite, 1072
Williams, H., on Sudbury rocks, 573
Williams, S. A., communication by, 111
Wilson, H. D. B., on silver in hydrothermal deposits, 791
on Sudbury origin, 571
on trace element ratios, 572
Wilson, Forbes, on Minas Carlotas, Cuba, 171
Winfield, on Rhodesian copperbelt minerals, 733
Wisser, E., on relation of ore to doming, 1255
Wolframite, 540, 542
Chile, 102
Woodtli, R., review of book by, 1150
Woollard, G. P., on magnetic anomalies western Kansas, 562
Worthington, J. E., discussion by, 637
Wyart, M. J., on silica solubility, 866

Wyoming, Haystack Range, an investigation of minor element content of potash feldspar from pegmatites (Carl), 1095

X-ray data, sepiolite, 1089

Yates, A. B., on Sudbury origin, 571
Yatsimirskii, K. B., on covalently bonded complexes, 33
Yoder, H. S., on pyrite, 74
and Eugster, H. P., on muscovites, 776

Zakonomernosti razmeshcheniya poleznykh iskopaemykh (Regularities in the distribution of mineral deposits) (Shatskii, editor), Davidson, 278
Zalinski, E. R., on chamosite, 934
Zeschke, G., discussion of article by, 456, 459
Zimmerman, D. O., discussion by, 460
Zinc minerals, Broken Hill, Australia, 217
Zircon, 379
ZnS solubility, 825
Zoisite, 771
Zonation, uranium deposits, 230
Zoneography, pegmatites, 391
Zoning, mechanisms of mineral (Barnes), 30
pegmatites, Haystack range, Wyoming, 1101
theories, 31

ECONOMIC GEOLOGY

AND THE

BULLETIN OF THE SOCIETY OF ECONOMIC GEOLOGISTS

EDITOR: ALAN MARA BATEMAN
Yale University, New Haven, Connecticut

ASSOCIATE EDITORS

M. LEROY JENSEN, *Yale University* CHARLES MEYER, *Univ. of California, Berkeley*

BUSINESS EDITOR: MORRIS M. LEIGHTON
Illinois Geological Survey, Urbana, Illinois

ASSISTANT EDITORS

JOE W. PEOPLES, *Wesleyan University* J. D. BATEMAN, *Toronto, Ont.*
R. H. JAHNS, *Pennsylvania State University*

BOARD OF ASSOCIATE EDITORS

D. F. HEWETT
U. S. Geological Survey, Menlo Park, Calif.

A. I. LEVORSEN
Tulsa, Okla.

J. E. HAWLEY
Queen's University, Kingston, Ontario

W. E. WRATHER
Washington, D. C.

A. N. SAYRE
U. S. Geological Survey, Washington, D. C.

L. C. GRATON
Orange, Connecticut

E. S. MOORE
University of Toronto, Toronto, Can.

GEORGE W. MOREY
U. S. Geological Survey, Washington, D. C.

N. H. FISHER
Bureau of Mineral Resources Canberra, Australia

PER GEIJER
Djursholm, Sweden

P. F. FOURMARIER
Liège University, Liège, Belgium

M. S. KRISHNAN
Osmania University, Hyderabad, India

T. W. GEVERS
University of the Witwatersrand, Johannesburg, S. Africa

C. F. DAVIDSON
St. Andrews University, Fife, Scotland

J. A. BROGGI
Instituto Geologica, Lima, Peru

TAKEO WATANABE
University of Tokyo, Tokyo, Japan

KONRAD B. KRAUSKOPF
Stanford University, California

PAUL RAMDOHR
University of Heidelberg, Heidelberg, Germany

VOLUME 57

NEW HAVEN, CONNECTICUT
THE ECONOMIC GEOLOGY PUBLISHING COMPANY
1962

SOCIETY OF ECONOMIC GEOLOGISTS

THE PUBLICATIONS OF WHICH CONSTITUTE
A PART OF THIS JOURNAL

OFFICERS FOR 1962

OLAF N. ROVE, *President*
HAROLD M. BANNERMAN, *Vice President*
CHARLES F. PARK, JR., *President-Elect*
ROGER H. MCCONNEL, *Vice President-Elect*

EUGENE N. CAMERON, *Secretary*, Science Hall, University of Wisconsin, Madison 6, Wisconsin
JOSEPH T. SINGEWALD, JR., *Treasurer*, Johns Hopkins University, Baltimore 18, Maryland

Councilors

1962	*1963*	*1964*
S. WARREN HOBBS	ERNEST L. OHLE	HAROLD L. JAMES
LYMAN H. HART	FREDERICK S. TURNEAURE	JAMES P. POLLOCK
VINCENT C. KELLEY	ALFRED W. JOLLIFFE	GEORGES ORDOÑEZ

CHARLES F. PARK, JR., *President-Elect* — PHILIP J. SHENON, *Past President*
ROGER H. MCCONNEL, *Vice President-Elect* — JOHN K. GUSTAFSON, *Past Vice President*

Regional Vice Presidents

BYRON B. BROCK, Africa.....GERHARDUS L. KROL, Europe
MAHARAJAPURAM S. KRISHNAN, Asia.....JAMES M. HARRISON, North America
ERIC A. RUDD, Australia.....ROBERT D. BUTLER, South America

Executive Committee

OLAF N. ROVE, *Chairman* — PHILIP J. SHENON — JOSEPH T. SINGEWALD, JR.
HAROLD M. BANNERMAN — CHARLES F. PARK, JR. — EUGENE N. CAMERON

Standing Committees for 1962–63

Finance Committee

LYMAN H. HART, *Chairman* — VINCENT D. PERRY — GEORGE E. KRUGER

Program Committee

FRANK G. SNYDER, *Chairman*
WALTER S. WHITE — ROBERT H. CARPENTER — DELOS E. FLINT

Committee on Publications

OLAF N. ROVE, *Chairman* — JOHN K. GUSTAFSON — CHARLES F. PARK, JR.

Nominating Committee

ERNEST L. OHLE, *Chairman* — WARD C. SMITH — HOOVER J. MACKIN

Admissions Committee

RALPH TUCK, *Chairman* — JOHN C. DUNLAP — WILLARD C. LACY
JAMES P. POLLOCK — PHILIP W. GUILD

Program Policy Committee

JOHN K. GUSTAFSON, *Chairman* — ROGER H. MCCONNEL — A. E. WEISSENBORN
HAROLD M. BANNERMAN — ROBERT S. MOEHLMAN — HERBERT E. HAWKES, JR.

Auditing Committee

A. NELSON SAYRE — THOR H. KIILSGAARD

CONTENTS OF VOLUME 57

Number 1

Temperatures of Mineral Formation in the Miami-Picher District As Indicated by Liquid Inclusions ..... *R. A. Schmidt* 1

A Lead Isotope Study Defines a Geological Structure ..... *W. F. Slawson and C. F. Austin* 21

Mechanisms of Mineral Zoning ..... *H. L. Barnes* 30

Formation of Bornite at Atmospheric Temperature and Pressure ..... *Margaret E. Cuthbert* 38

A New Micro-Reflectometer ..... *J. M. Jones* 42

Cross Folding, Migmatization and Ore Localization Along Part of the Singhbhum Shear Zone, South of Tatanagar, Bihar, India ..... *A. K. Banerji* 50

Equilibrium Relations Between Pyrhotite and Pyrite from 325° to 743° C ..... *R. G. Arnold* 72

Metallogenetic Provinces of Chile, S. A. ..... *Carlos Ruiz F. and G. E. Ericksen* 91

Scientific Communications:

The Lichen—A Possible Plant Medium for Mineral Exploration ..... *L. W. LeRoy and M. Koksoy* 107

Stability Relations and Paragenesis of Copper Oxides and Chlorides at the Algomah Mine, Ontonagon County, Michigan ..... *S. A. Williams* 111

Discussions:

Breccia and Pebble Columns Associated With Epigenetic Ore Deposits ..... *L. Bryner* 114

Types of Evidence for Genesis of Ore Deposits in the East Tennessee and Other Lead Zinc Deposits ..... *C. H. Behre, Jr.* 115

Pyrite Spheres in Sediments ..... *J. T. Greensmith* 118

Reviews:

Geology of Ore Deposits, March–April, 1960 ..... *C. F. Davidson* 120

Geology of the Bingham Mining District and Northern Oquirrh Mountains (D. R. Cook, Editor) ..... *M. P. Nackowski* 125

Geology of the Atlantic and Gulf Coastal Province of North America (G. E. Murphy) 126

Soviet Power (J. A. Hodgkins) 126

Physics and Chemistry of the Earth, Vol. 4 (Ahrens, Press, Rankama and Runcorn, Editors) 127

Books Received ..... *Eric S. Cheney and Roger L. Ames* 128

Scientific Notes and News 136

Number 2

Transportation and Precipitation of Uranium and Vanadium at Low Temperatures, With Special Reference to Sandstone-Type Uranium Deposits ..... *P. B. Hostetler and R. M. Garrels* 137

The Gossans of Minas Carlota, Cuba ..... *Patrick Arthur Hill* 168

Study of the Metamorphic Manganese Ores of Bharweli Mine-Area, Madhya Pradesh, India, and Their Genesis.....*Supriya Roy* 195
Allanite Pegmatites, Red Rock, Nevada Compared With Allanite Pegmatites in Southern Nevada and California.....*A. Volborth* 209
Sulfur Isotope Distribution in Sulfides and Sulfates from Broken Hill South, New South Wales.....*L. J. Lawrence and T. A. Rafter* 217
Diffusion Features of Uranium-Vanadium Deposits in Montezuma Canyon, Utah *Lyman C. Huff and Frank G. Lesure* 226
The Identification of Metal Ions in Ore Minerals by Paper Chromatography. Part I. Opaque Ore Minerals.....*Arthur S. Ritchie* 238
The Use of Precipitation Chromatography in Geochemical Prospecting; Mineral Identification With Disposable Agar Gel Columns *J. D. Spain, F. L. Ludeman, and A. K. Snelgrove* 248
Discussions:
Studies on the Oxidation of Magnetite.....*Henry Lepp* 260
Kolar Gold Field, India.....*K. Naha and A. Mookherjee* 262
The Origin of Some Strata-Bound Sulfide Ore Deposits.....*C. F. Davidson* 265
"Geosynklinale Lagerstatten".....*F. M. Vokes* 274
A reply.....*Ervin Otvos* 274
Reviews:
Genesis of Sulfur Deposits in Japan (H. Mukaiyama).....*J. Kalliokoski* 276
Short Reviews of New Russian Books.....*C. F. Davidson* 277
Geology of Ore Deposits, Vol. 2, No. 3, 1960.....*E. A. Alexandrov* 279
Ore Microscopy (E. N. Cameron)..... 284
Books Received.....*Roger L. Ames and Eric S. Cheney* 285
Society of Economic Geologists..... 290
Scientific Notes and News..... 291

Number 3

Some Effects of Environment on Ore Deposition.....*Pierce D. Parker* 293
Reflection Characteristics of Ore Minerals.....*I. M. Gray and A. P. Millman* 325
Biogenic Primary Sulfide of the Permian Kupferschiefer and Marl Slate..*L. G. Love* 350
Tarai and Bhabar Zones of India Along the Himalayan Foothills As Potential Groundwater.....*D. Mehta and P. G. Adyalkar* 367
The Economic Geology of Columbium (Niobium) and of Tantalum..*Nicolas De Kun* 377
Distribution of Metals in a Modern Marine Environment *W. H. White and K. E. Northcote* 405
Geology and Isotopic Studies of Sicilian Sulfur Deposits *G. Dessau, M. L. Jensen and N. Nakai* 410
Trace Ferrides in the Magnetite Ores of the Mount Hope Mine and the New Jersey Highlands.....*A. H. James and W. H. Dennen* 439
Scientific Communications:
Notes on a Non-Genetic Classification of Copper Deposits.....*Paul Gilmour* 450
An Occurrence of Violarite and Millerite in Calcite Veins, Benton County, Arkansas.....*P. J. Sterling, C. G. Stone and C. A. Renfroe* 453
Discussions:
Uraninite-Scheelite Placers of the River Indus.....*C. F. Davidson* 456
Economic Aspects of Archaean-Proterozoic Boundaries.....*D. W. Bishopp* 458
Prospecting for Ore Deposits by Panning Heavy Minerals from River Sands *R. A. Mackay* 459

Pyrite Spheres in Sediments ..... *D. O. Zimmerman* 459
On the Origin of Some Strata-Bound Sulfide Ore Deposits ..... *L. G. Love* 460

Reviews:

Geology of Ore Deposits, Vol. 2, No. 4 ..... *E. A. Alexandrov* 463
Short Reviews of New Russian Books ..... *C. F. Davidson* 468
Photogeology (V. C. Miller and C. F. Miller) 470
The Geology of Queensland (D. Hill and H. K. Denmead, Editors) 470
Symposium on Chrome Ore, Held in Ankara, Turkey in 1960 470
Books Received ..... *Roger L. Ames and Eric S. Cheney* 471

Scientific Notes and News 480

Number 4

Geology of the Serra Do Navio Manganese District, Brazil ..... *R. H. Nagell* 481
Ore Genesis of the Cave-In-Rock Fluorspar District, Hardin County, Illinois *E. A. Brecke* 499
A Contribution to the Geology of the Caracoles Tin and Tungsten Mines, Bolivia *W. C. Stoll* 536
Sphalerite Mineralization in Deep Lying Dolomites of Upper Arbuckle Age, West Central Kansas ..... *David Le Count Evans* 548
Sulfur Isotope Abundances in Rocks of the Sudbury District and Their Geological Significance ..... *H. G. Thode, H. B. Dunford, and M. Shima* 565
Thermoelectricity and Resistivity of Pyrite from Renison Bell and Mt. Bischoff, Tasmania ..... *P. A. Hill and Ronald Green* 579
Mechanism and Duration of Vein Deposit Formation ..... *P. Laffitte* 587
Field Methods for the Determination of Nickel Using Dimethylglyoxime *Harold Bloom* 595
Chemical, Mineralogical, and Statistical Analyses of Some Oil Adsorptives *C. C. Reeves, Jr.* 605

Scientific Communications:

Geochemistry of the Siliceous Black Shales at Nagarjuna Sagar Damsite, India *P. S. N. Murty, U. Aswathanarayana and C. Mahadevan* 614
Geochemical Prospecting for Beryl and Columbite ..... *E. Wm. Heinrich* 616
Some Aspects of the Genesis of Platinum Deposits ..... *E. F. Stumpfl* 619

Discussions:

Comments on Biogenic Sulfides ..... *E. S. Cheney and M. L. Jensen* 624
Studies on the Oxidation of Magnetite—Studies on the Oxidation of Goethite *John W. Gruner* 628
Critical Remarks on the Genesis of Ore As Applied to Future Mineral Exploration ..... *W. G. Garlick* 629
Geochemical Prospecting for Nickel in the Blue Mountain Area, Jamaica, W.I. *Joseph E. Worthington* 637

Reviews:

Short Reviews of New Russian Books ..... *C. F. Davidson* 638
Géologie des Gites Minéraux (E. Raguin) ..... *John S. Brown* 640
Geology of Ore Deposits, Vol. 2, No. 5 ..... *E. A. Alexandrov* 641
Muddy Sediments (P. G. H. Boswell) ..... *R. F. Legget* 646
Ingenieurgeologie (Q. Zaruba and V. Mencl) ..... *R. F. Legget* 647
Books Received ..... *Roger L. Ames and Eric S. Cheney* 648

Society of Economic Geologists:
South African Newsletter.....*B. B. Brock* 653
Report of the Nominating Committee..... 656
Scientific Notes and News..... 657

Number 5

Economic Geology Today and Tomorrow.....*P. J. Shenon* 659
Ore Leads and Isotopes.....*J. S. Brown* 673
Hydrothermal Versus Syngenetic Theories of Ore Deposition.....*R. H. Sales* 721
The Helium Method and the Age of the Cornwall, Pennsylvania Magnetite Ore
F. P. Fanale and J. L. Kulp 735
Ocean-Floor Manganese Nodules.....*J. L. Mero* 747
Facies and Types of Hydrothermal Alteration.....*C. W. Burnham* 768
Minor Elements in Some Altered Zones of "Kuroko" (Black Ore) Deposits in Japan.....*H. Ishikawa, R. Kuroda and T. Sudo* 785
Notes on the Mineral Resources of Ecuador.....*W. C. Stoll* 799
The Solubility of PbS in H_2S-Water Solutions.....*G. M. Anderson* 809
Scientific Communications:
Some Chemical Aspects of Bauxite Genesis in Jamaica.....*G. C. Waterman* 829
Discussions:
Thoughts on Epigenetic vs. Syngenetic Origin for Certain Copper Deposits
E. L. Ohle 831
Temperatures of Formation and Origin of the Nigadoo and Brunswick Mining and Smelting No. 6 Deposits, New Brunswick, Canada...*R. W. Hutchinson* 834
Remanent Magnetism.....*F. G. Percival* 835
Reviews:
Geology of Ore Deposits.....*E. A. Alexandrov* 837
Minerals for the Chemical and Allied Industries, 2nd Edit. (S. J. Johnstone and M. G. Johnstone)..... 843
Economics of Petroleum Exploration, Development, and Property Evaluation... 843
Theoretical Geomorphology (A. E. Schejdegger)..... 843
Irrigation and Climate (H. Olivier)..... 843
Researches on Meteorites (C. B. Moore, Editor)..... 844
Books Received.....*Eric S. Cheney and Roger L. Ames* 844
Society of Economic Geologists..... 851
Scientific Notes and News..... 860

Number 6

The Origin of Jasperoid in Limestone.....*T. G. Lovering* 861
Mineral Parageneses of the Massive Sulfide Ore Bodies of the Caledonides of Norway.....*F. M. Vokes* 890
The Cachimayoc Breccia Pipe, Cuzco Department, Peru
J. W. Gabelman, Victor Jordan O., and E. Goyburu de la Cuba 904
Petrology of Upper Cretaceous Oolitic Iron-Rich Rocks from Northern Alberta
G. B. Mellon 921
Mineralogy and Geochemistry of the Read Magnetic Deposit, Southwestern Stevens County, Washington.....*W. A. G. Bennett* 941
Ludwigite from the Read Magnetite Deposits, Stevens County, Washington
W. T. Schaller and A. G. Vlisidis 950

The Metallogeny of the Chromite Deposits of the Guleman District, Turkey
Adolf Helke 954
Distribution of Beryllium in Unaltered Silicic Volcanic Rocks of the Western Conterminous United States.....*R. R. Coats, P. R. Barnett, and N. M. Conklin* 963
Genetic Considerations of Magnetite and Pyrrhotite in Pyritic Deposits, Yanahara District, Southwestern Japan.....*Akio Tsusue* 969

Scientific Communications:
Bolivian Tin Mineralization and Orogenic Evolution.....*Pontus Ljunggren* 978

Discussions:
Use of the Term Gossan.....*T. L. Kesler* 982
Reflection Characteristics of Ore Minerals.....*S. H. U. Bowie* 983

Reviews:
The Trace-Element Content of Fertilizers (D. J. Swaine)....*Michael Fleischer* 986
Short Reviews of New Russian Books.....*C. F. Davidson* 986
Geology of Ore Deposits, Vol. 3, Nos. 1 and 2.....*E. A. Alexandrov* 988
Morphology of the Earth (Lester King)..... 999
Lagerstättenlehre, 2nd Edit. (W. E. Petrascheck)..... 999
Geology and Engineering, 2nd Edit. (R. F. Legget)..... 1000
Books Received.....*Roger L. Ames and Eric S. Cheney* 1000

Society of Economic Geologists..... 1007

Scientific Notes and News..... 1020

Number 7

A Method for the Determination of Equilibrium Sulfur Pressures of Metal Sulfide Reactions.....*F. W. Dickson, L. D. Shields, and G. C. Kennedy* 1021
Seasonal Variations in Copper Content in Some Andean Streams of Central Chile
Ann de Grys 1031
Studies of Fluid Inclusions I: Low Temperature Application of a Dual-Purpose Freezing and Heating Stage.....*Edwin Roedder* 1045
Trace Element Distribution in the Searchlight, Nevada Quartz Monzonite Stock
J. N. Shrivastava and P. D. Proctor 1062
Observations on the Pyrite Deposits of the Huelva District, Spain, and Their Relation to Volcanism.....*A. R. Kinkel, Jr.* 1071
Correlation Between the Uranium Content of Marine Phosphates and Other Rock Constituents.....*Fathi Habashi* 1081
Occurrences of Sepiolite in Utah and Nevada
A. J. Ehlmann, L. B. Sand, and A. J. Regis 1085
An Investigation of Minor Element Content of Potash Feldspar from Pegmatites, Haystack Range, Wyoming.....*J. D. Carl* 1095
The Ore Knob Massive Sulfide Copper Deposit, North Carolina: An Example of Recrystallized Ore.....*A. R. Kinkel, Jr.* 1116
A Simplified Stereographic Projection Solution of the Two Drillhole Problem
George Addie 1122

Scientific Communications:
Wall Rock Composition As a Guide to Pegmatite Mineralization...*G. Hornung* 1127

Discussions:
Mineralization in Mobile Belts.....*W. D. McCartney* 1131
The Economic Geology of Columbium (Niobium) and of Tantalum
Harry von Eckermann 1133

Further Remarks on Biogenic Sulfides.....*C. F. Davidson* 1134
The Origin of the Gold-Quartz Deposits, Yellowknife, N.W.T.....*R. L. Ames* 1137

Reviews:

Geology of Ore Deposits, Vol. 3, Nos. 3 and 4.....*A. E. Alexandrov* 1145
L'Europe et l'Afrique. I. Le potentiel mineral africain (Woodtli)
G. C. Amstutz 1150
Three Recent Russian Books.....*E. A. Alexandrov* 1151
The New World 1939-1946—Vol. I of a History of the U. S. Atomic Energy Commission (Hewlett and Anderson)..... 1154
Geologic Guide in the Gas and Oil Fields of Northern California (O. E. Bowen, Jr., Edit.)..... 1154
Man and the Earth (J. B. Hoyt)..... 1155
Les Eaux Souterraines (H. Schoeller)..... 1155
Books Received.....*Eric S. Cheney and Roger L. Ames* 1156

Scientific Notes and News..... 1162

Number 8

Temperature of Crystallization of Pyrrhotite and Sphalerite from the Highland-Surprise Mine, Coeur D'Alene District, Idaho
R. G. Arnold, R. G. Coleman, and V. C. Fryklund 1163
Thorium and Uranium Variations in the Blind River Ores.....*D. S. Robertson* 1175
Some Leaching Experiments on Three Quartz-Free Silicate Rocks and Their Contribution to an Understanding of Laterization.....*R. J. Pickering* 1185
Decomposition of Clays and the Fate of Aluminum.....*N. T. Coleman* 1207
Reactions of Feldspars and Micas With Aqueous Solutions.....*C. E. Marshall* 1219
Serpentinization and Chrysotile Formation in the Matheson Ultrabasic Belt, Northern Ontario.....*P. L. C. Grubb* 1228
Regional Geology of Chanarcillo Silver Mining District and Adjacent Areas, Chile
Kenneth Segerstrom 1247
Host Rocks for Copper Ore.....*W. James Bichan* 1262

Discussions:

Dissociation Constants of H_2S.....*G. K. Czamanske* 1268

Reviews:

Geology of Ore Deposits, Vol. 3, No. 5.....*E. A. Alexandrov* 1270
Short Reviews of New Russian Books.....*C. F. Davidson* 1275
Petrology (W. T. Huang)..... 1277
Coal (W. Francis).....*E. A. Alexandrov* 1277
Determination Tables for Ore Microscopy (C. Schouter)..... 1278
Handbook of the Geology of Mysore State Southern India (B. Rama Rau)..... 1278
Books Received.....*Eric S. Cheney and Charles D. Masters* 1278

Scientific Notes and News..... 1284

Index, Volume 57.....*Robert B. McGraw, Jr.* 1285

Contents, Volume 57..... iii